



WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

11

RACE DATA

W4x

(Event)

Women's Quadruple Sculls

R

26 SEP 2017

Race 90

| Dist.<br>[m] | FRA            |        | UKR            |        | USA            |        | GER            |        | CHN            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 25           | 5.1            | 48.0   | 5.0            | 49.0   | 4.8            | 43.0   | 4.9            | 45.0   | 5.0            | 48.0   |                |        |
| 50           | 5.4            | 44.0   | 5.4            | 43.0   | 5.5            | 42.0   | 5.6            | 43.0   | 5.4            | 44.0   |                |        |
| 75           | 5.5            | 43.0   | 5.5            | 41.0   | 5.6            | 42.0   | 5.7            | 42.0   | 5.5            | 42.0   |                |        |
| 100          | 5.6            | 42.0   | 5.5            | 40.0   | 5.5            | 42.0   | 5.7            | 42.0   | 5.5            | 41.0   |                |        |
| 125          | 5.5            | 41.0   | 5.4            | 40.0   | 5.5            | 42.0   | 5.6            | 40.0   | 5.5            | 41.0   |                |        |
| 150          | 5.5            | 41.0   | 5.4            | 39.0   | 5.5            | 41.0   | 5.5            | 39.0   | 5.4            | 40.0   |                |        |
| 175          | 5.4            | 40.0   | 5.4            | 39.0   | 5.4            | 39.0   | 5.5            | 39.0   | 5.4            | 40.0   |                |        |
| 200          | 5.4            | 40.0   | 5.4            | 38.0   | 5.4            | 38.0   | 5.5            | 39.0   | 5.4            | 39.0   |                |        |
| 225          | 5.4            | 40.0   | 5.3            | 38.0   | 5.4            | 38.0   | 5.5            | 39.0   | 5.5            | 40.0   |                |        |
| 250          | 5.5            | 40.0   | 5.4            | 38.0   | 5.5            | 37.0   | 5.4            | 39.0   | 5.5            | 40.0   |                |        |
| 275          | 5.6            | 39.0   | 5.5            | 37.0   | 5.4            | 37.0   | 5.5            | 38.0   | 5.5            | 39.0   |                |        |
| 300          | 5.4            | 39.0   | 5.4            | 37.0   | 5.3            | 37.0   | 5.4            | 38.0   | 5.4            | 39.0   |                |        |
| 325          | 5.4            | 39.0   | 5.3            | 37.0   | 5.3            | 37.0   | 5.4            | 37.0   | 5.4            | 38.0   |                |        |
| 350          | 5.3            | 38.0   | 5.3            | 37.0   | 5.3            | 36.0   | 5.3            | 37.0   | 5.4            | 38.0   |                |        |
| 375          | 5.3            | 38.0   | 5.3            | 37.0   | 5.3            | 36.0   | 5.3            | 37.0   | 5.4            | 38.0   |                |        |
| 400          | 5.3            | 38.0   | 5.2            | 37.0   | 5.3            | 36.0   | 5.3            | 37.0   | 5.4            | 38.0   |                |        |
| 425          | 5.2            | 37.0   | 5.2            | 37.0   | 5.3            | 36.0   | 5.3            | 36.0   | 5.3            | 37.0   |                |        |
| 450          | 5.2            | 37.0   | 5.1            | 36.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.3            | 37.0   |                |        |
| 475          | 5.2            | 37.0   | 5.1            | 37.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.2            | 37.0   |                |        |
| 500          | 5.2            | 37.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.2            | 37.0   |                |        |
| 525          | 5.2            | 37.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.1            | 36.0   | 5.2            | 37.0   |                |        |
| 550          | 5.1            | 37.0   | 5.1            | 36.0   | 5.3            | 37.0   | 5.1            | 36.0   | 5.2            | 37.0   |                |        |
| 575          | 5.1            | 37.0   | 5.2            | 36.0   | 5.3            | 37.0   | 5.1            | 36.0   | 5.2            | 37.0   |                |        |
| 600          | 5.1            | 37.0   | 5.2            | 36.0   | 5.3            | 37.0   | 5.2            | 36.0   | 5.2            | 36.0   |                |        |
| 625          | 5.1            | 37.0   | 5.1            | 36.0   | 5.3            | 37.0   | 5.2            | 36.0   | 5.2            | 36.0   |                |        |
| 650          | 5.1            | 37.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.2            | 35.0   | 5.2            | 36.0   |                |        |
| 675          | 5.1            | 37.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   |                |        |
| 700          | 5.1            | 37.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   |                |        |
| 725          | 5.1            | 36.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.2            | 35.0   | 5.2            | 36.0   |                |        |
| 750          | 5.1            | 37.0   | 5.2            | 35.0   | 5.4            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 775          | 5.1            | 36.0   | 5.2            | 35.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 800          | 5.0            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 825          | 5.0            | 37.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 850          | 5.0            | 37.0   | 5.0            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 875          | 5.0            | 36.0   | 5.0            | 35.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 900          | 5.0            | 36.0   | 5.0            | 35.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 925          | 5.0            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 1/3

FISA Data Service

data processing by SWISS TIMING

Report Created TUE 26 SEP 2017 / 15:11





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

11

RACE DATA

W4x

(Event)

Women's Quadruple Sculls

R

26 SEP 2017

Race 90

| Dist.<br>[m] | FRA            |        | UKR            |        | USA            |        | GER            |        | CHN            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 950          | 5.0            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.3            | 36.0   | 5.1            | 36.0   |                |        |
| 975          | 5.0            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1000         | 5.0            | 36.0   | 5.1            | 35.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1025         | 5.0            | 36.0   | 5.0            | 35.0   | 5.3            | 37.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1050         | 5.0            | 36.0   | 5.1            | 35.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1075         | 5.0            | 36.0   | 5.1            | 35.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1100         | 5.0            | 36.0   | 5.1            | 35.0   | 5.3            | 36.0   | 5.3            | 36.0   | 5.1            | 36.0   |                |        |
| 1125         | 5.0            | 36.0   | 5.0            | 35.0   | 5.2            | 36.0   | 5.3            | 36.0   | 5.1            | 36.0   |                |        |
| 1150         | 5.0            | 36.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.1            | 36.0   |                |        |
| 1175         | 5.0            | 36.0   | 4.9            | 34.0   | 5.2            | 36.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1200         | 4.9            | 36.0   | 5.0            | 34.0   | 5.3            | 36.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1225         | 4.9            | 36.0   | 5.0            | 34.0   | 5.3            | 36.0   | 5.1            | 36.0   | 5.0            | 36.0   |                |        |
| 1250         | 5.0            | 36.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.1            | 36.0   | 5.0            | 36.0   |                |        |
| 1275         | 4.9            | 36.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.1            | 36.0   | 5.1            | 36.0   |                |        |
| 1300         | 4.9            | 36.0   | 4.9            | 34.0   | 5.2            | 35.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1325         | 4.9            | 36.0   | 4.9            | 34.0   | 5.2            | 35.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1350         | 4.9            | 36.0   | 4.9            | 34.0   | 5.3            | 35.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1375         | 4.9            | 36.0   | 5.0            | 34.0   | 5.2            | 35.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1400         | 4.9            | 36.0   | 4.9            | 34.0   | 5.1            | 36.0   | 5.1            | 36.0   | 5.0            | 36.0   |                |        |
| 1425         | 4.9            | 36.0   | 5.0            | 34.0   | 5.1            | 36.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1450         | 4.9            | 36.0   | 4.9            | 34.0   | 5.1            | 36.0   | 5.1            | 36.0   | 5.0            | 36.0   |                |        |
| 1475         | 4.9            | 36.0   | 4.9            | 34.0   | 5.1            | 36.0   | 5.2            | 36.0   | 5.0            | 36.0   |                |        |
| 1500         | 5.0            | 36.0   | 4.9            | 34.0   | 5.1            | 36.0   | 5.2            | 36.0   | 5.0            | 35.0   |                |        |
| 1525         | 5.0            | 36.0   | 4.9            | 34.0   | 5.2            | 36.0   | 5.2            | 36.0   | 4.9            | 35.0   |                |        |
| 1550         | 4.9            | 37.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.2            | 36.0   | 4.9            | 35.0   |                |        |
| 1575         | 5.0            | 37.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.1            | 36.0   | 4.9            | 36.0   |                |        |
| 1600         | 5.0            | 37.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.1            | 36.0   | 4.9            | 36.0   |                |        |
| 1625         | 5.0            | 37.0   | 5.0            | 34.0   | 5.2            | 36.0   | 5.1            | 36.0   | 4.9            | 36.0   |                |        |
| 1650         | 5.0            | 37.0   | 5.0            | 34.0   | 5.1            | 36.0   | 5.1            | 36.0   | 4.9            | 36.0   |                |        |
| 1675         | 5.0            | 37.0   | 5.1            | 34.0   | 5.1            | 36.0   | 5.1            | 36.0   | 4.9            | 36.0   |                |        |
| 1700         | 5.0            | 37.0   | 5.1            | 35.0   | 5.1            | 36.0   | 5.2            | 36.0   | 5.0            | 37.0   |                |        |
| 1725         | 5.0            | 37.0   | 5.0            | 34.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.0            | 37.0   |                |        |
| 1750         | 5.0            | 38.0   | 5.1            | 35.0   | 5.1            | 36.0   | 5.3            | 36.0   | 5.0            | 38.0   |                |        |
| 1775         | 5.0            | 37.0   | 5.2            | 35.0   | 5.2            | 37.0   | 5.3            | 37.0   | 5.1            | 38.0   |                |        |
| 1800         | 5.0            | 37.0   | 5.2            | 35.0   | 5.2            | 37.0   | 5.3            | 37.0   | 5.1            | 39.0   |                |        |
| 1825         | 4.9            | 37.0   | 5.1            | 35.0   | 5.3            | 37.0   | 5.3            | 37.0   | 5.2            | 39.0   |                |        |
| 1850         | 5.0            | 37.0   | 5.1            | 35.0   | 5.3            | 37.0   | 5.3            | 37.0   | 5.2            | 41.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 2/3

FISA Data Service

data processing by SWISS TIMING

Report Created TUE 26 SEP 2017 / 15:11





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

11

**RACE DATA**

**W4x**

(Event)

**Women's Quadruple Sculls**

**R**

26 SEP 2017

**Race 90**

| Dist.<br>[m] | FRA            |        | UKR            |        | USA            |        | GER            |        | CHN            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 1875         | 5.0            | 37.0   | 5.1            | 35.0   | 5.3            | 37.0   | 5.3            | 37.0   | 5.3            | 44.0   |                |        |
| 1900         | 5.1            | 37.0   | 5.0            | 35.0   | 5.3            | 37.0   | 5.2            | 38.0   | 5.3            | 44.0   |                |        |
| 1925         | 5.1            | 38.0   | 5.1            | 34.0   | 5.3            | 38.0   | 5.2            | 38.0   | 5.2            | 45.0   |                |        |
| 1950         | 5.1            | 38.0   | 5.1            | 34.0   | 5.3            | 39.0   | 5.2            | 38.0   | 5.3            | 44.0   |                |        |
| 1975         | 5.1            | 38.0   | 5.1            | 34.0   | 5.2            | 39.0   | 5.2            | 38.0   | 5.2            | 46.0   |                |        |
| 2000         | 5.1            | 38.0   | 5.0            | 34.0   | 5.2            | 39.0   | 5.2            | 38.0   | 5.2            | 45.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 3/3

FISA Data Service

data processing by SWISS TIMING

Report Created TUE 26 SEP 2017 / 15:11

