



WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 10           | 3.2            | 47.0   | 3.1            | 51.0   | 3.3            | 54.0   | 3.7            | 58.0   | 3.4            | 51.0   |                |        |
| 20           | 4.1            | 47.0   | 3.9            | 51.0   | 4.2            | 52.0   | 4.5            | 57.0   | 4.2            | 50.0   |                |        |
| 30           | 4.4            | 46.0   | 4.6            | 49.0   | 4.4            | 51.0   | 5.0            | 55.0   | 4.7            | 50.0   |                |        |
| 40           | 4.4            | 45.0   | 4.6            | 46.0   | 4.5            | 50.0   | 5.1            | 52.0   | 4.6            | 48.0   |                |        |
| 50           | 4.6            | 43.0   | 4.7            | 44.0   | 4.6            | 48.0   | 5.2            | 50.0   | 4.6            | 47.0   |                |        |
| 60           | 4.5            | 42.0   | 4.7            | 42.0   | 4.5            | 46.0   | 5.1            | 49.0   | 4.8            | 47.0   |                |        |
| 70           | 4.6            | 41.0   | 4.7            | 41.0   | 4.7            | 45.0   | 5.1            | 46.0   | 4.6            | 46.0   |                |        |
| 80           | 4.5            | 40.0   | 4.7            | 41.0   | 4.6            | 44.0   | 5.0            | 42.0   | 4.7            | 45.0   |                |        |
| 90           | 4.5            | 40.0   | 4.6            | 40.0   | 4.6            | 43.0   | 4.9            | 41.0   | 4.6            | 45.0   |                |        |
| 100          | 4.6            | 39.0   | 4.7            | 40.0   | 4.5            | 42.0   | 4.9            | 41.0   | 4.7            | 45.0   |                |        |
| 110          | 4.5            | 38.0   | 4.5            | 39.0   | 4.5            | 41.0   | 4.9            | 37.0   | 4.7            | 45.0   |                |        |
| 120          | 4.5            | 38.0   | 4.6            | 39.0   | 4.4            | 40.0   | 4.7            | 36.0   | 4.6            | 45.0   |                |        |
| 130          | 4.5            | 38.0   | 4.6            | 39.0   | 4.5            | 40.0   | 4.7            | 36.0   | 4.7            | 44.0   |                |        |
| 140          | 4.5            | 37.0   | 4.5            | 39.0   | 4.4            | 40.0   | 4.7            | 35.0   | 4.6            | 44.0   |                |        |
| 150          | 4.5            | 37.0   | 4.5            | 38.0   | 4.4            | 40.0   | 4.7            | 34.0   | 4.6            | 43.0   |                |        |
| 160          | 4.5            | 37.0   | 4.5            | 39.0   | 4.3            | 39.0   | 4.6            | 33.0   | 4.6            | 43.0   |                |        |
| 170          | 4.5            | 36.0   | 4.5            | 38.0   | 4.4            | 38.0   | 4.5            | 33.0   | 4.6            | 43.0   |                |        |
| 180          | 4.5            | 35.0   | 4.5            | 38.0   | 4.3            | 38.0   | 4.5            | 33.0   | 4.5            | 42.0   |                |        |
| 190          | 4.5            | 35.0   | 4.5            | 37.0   | 4.3            | 38.0   | 4.5            | 33.0   | 4.6            | 42.0   |                |        |
| 200          | 4.4            | 35.0   | 4.5            | 37.0   | 4.3            | 37.0   | 4.5            | 33.0   | 4.5            | 41.0   |                |        |
| 210          | 4.4            | 35.0   | 4.5            | 36.0   | 4.3            | 38.0   | 4.4            | 33.0   | 4.6            | 41.0   |                |        |
| 220          | 4.4            | 35.0   | 4.4            | 36.0   | 4.3            | 38.0   | 4.4            | 32.0   | 4.5            | 40.0   |                |        |
| 230          | 4.4            | 35.0   | 4.5            | 36.0   | 4.3            | 38.0   | 4.4            | 32.0   | 4.5            | 40.0   |                |        |
| 240          | 4.4            | 34.0   | 4.4            | 36.0   | 4.3            | 36.0   | 4.4            | 32.0   | 4.5            | 40.0   |                |        |
| 250          | 4.4            | 33.0   | 4.4            | 36.0   | 4.3            | 36.0   | 4.4            | 32.0   | 4.5            | 40.0   |                |        |
| 260          | 4.4            | 33.0   | 4.4            | 36.0   | 4.3            | 36.0   | 4.3            | 33.0   | 4.5            | 39.0   |                |        |
| 270          | 4.3            | 33.0   | 4.5            | 35.0   | 4.3            | 36.0   | 4.4            | 32.0   | 4.5            | 39.0   |                |        |
| 280          | 4.4            | 33.0   | 4.5            | 35.0   | 4.3            | 36.0   | 4.4            | 32.0   | 4.5            | 38.0   |                |        |
| 290          | 4.4            | 33.0   | 4.5            | 35.0   | 4.3            | 36.0   | 4.4            | 32.0   | 4.4            | 38.0   |                |        |
| 300          | 4.4            | 33.0   | 4.5            | 35.0   | 4.2            | 35.0   | 4.3            | 33.0   | 4.4            | 38.0   |                |        |
| 310          | 4.3            | 33.0   | 4.4            | 35.0   | 4.2            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |
| 320          | 4.3            | 33.0   | 4.4            | 35.0   | 4.1            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |
| 330          | 4.3            | 33.0   | 4.4            | 35.0   | 4.1            | 35.0   | 4.3            | 33.0   | 4.5            | 37.0   |                |        |
| 340          | 4.2            | 33.0   | 4.3            | 35.0   | 4.1            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |
| 350          | 4.3            | 33.0   | 4.4            | 34.0   | 4.1            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |
| 360          | 4.3            | 33.0   | 4.4            | 35.0   | 4.1            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |
| 370          | 4.3            | 33.0   | 4.4            | 35.0   | 4.2            | 34.0   | 4.3            | 33.0   | 4.4            | 37.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 1/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 380          | 4.2            | 33.0   | 4.4            | 34.0   | 4.1            | 33.0   | 4.3            | 32.0   | 4.4            | 36.0   |                |        |
| 390          | 4.2            | 33.0   | 4.4            | 34.0   | 4.1            | 33.0   | 4.3            | 32.0   | 4.3            | 36.0   |                |        |
| 400          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 33.0   | 4.3            | 32.0   | 4.3            | 36.0   |                |        |
| 410          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 33.0   | 4.3            | 33.0   | 4.3            | 36.0   |                |        |
| 420          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.3            | 33.0   | 4.3            | 36.0   |                |        |
| 430          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.3            | 32.0   | 4.3            | 36.0   |                |        |
| 440          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.3            | 32.0   | 4.3            | 36.0   |                |        |
| 450          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 460          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 470          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.4            | 32.0   | 4.3            | 35.0   |                |        |
| 480          | 4.2            | 33.0   | 4.3            | 34.0   | 4.1            | 32.0   | 4.4            | 32.0   | 4.3            | 35.0   |                |        |
| 490          | 4.2            | 33.0   | 4.4            | 34.0   | 4.0            | 32.0   | 4.4            | 32.0   | 4.4            | 35.0   |                |        |
| 500          | 4.2            | 33.0   | 4.3            | 34.0   | 4.0            | 32.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 510          | 4.3            | 33.0   | 4.3            | 34.0   | 4.0            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 520          | 4.2            | 33.0   | 4.3            | 34.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 530          | 4.2            | 33.0   | 4.3            | 34.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 540          | 4.3            | 33.0   | 4.3            | 34.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 550          | 4.3            | 33.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.2            | 32.0   | 4.3            | 35.0   |                |        |
| 560          | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 570          | 4.2            | 33.0   | 4.2            | 34.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 580          | 4.3            | 33.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 590          | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.2            | 35.0   |                |        |
| 600          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 610          | 4.3            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.3            | 32.0   | 4.3            | 34.0   |                |        |
| 620          | 4.3            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.3            | 32.0   | 4.3            | 34.0   |                |        |
| 630          | 4.3            | 33.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.3            | 32.0   | 4.3            | 34.0   |                |        |
| 640          | 4.2            | 33.0   | 4.3            | 33.0   | 4.0            | 31.0   | 4.3            | 32.0   | 4.2            | 35.0   |                |        |
| 650          | 4.3            | 33.0   | 4.3            | 33.0   | 4.0            | 31.0   | 4.3            | 32.0   | 4.2            | 35.0   |                |        |
| 660          | 4.3            | 33.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.3            | 32.0   | 4.3            | 35.0   |                |        |
| 670          | 4.2            | 33.0   | 4.3            | 34.0   | 3.9            | 31.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 680          | 4.2            | 33.0   | 4.3            | 34.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 690          | 4.3            | 33.0   | 4.4            | 34.0   | 3.8            | 30.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 700          | 4.2            | 33.0   | 4.4            | 33.0   | 3.8            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 710          | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 720          | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 730          | 4.3            | 33.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 740          | 4.2            | 32.0   | 4.4            | 33.0   | 3.9            | 30.0   | 4.3            | 32.0   | 4.2            | 34.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 2/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 750          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 760          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 770          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 780          | 4.2            | 32.0   | 4.3            | 33.0   | 4.0            | 32.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 790          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 32.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 800          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 32.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 810          | 4.2            | 32.0   | 4.3            | 33.0   | 4.0            | 32.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 820          | 4.2            | 32.0   | 4.2            | 33.0   | 3.9            | 32.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 830          | 4.2            | 32.0   | 4.2            | 33.0   | 3.9            | 31.0   | 4.2            | 33.0   | 4.3            | 34.0   |                |        |
| 840          | 4.2            | 32.0   | 4.3            | 33.0   | 4.0            | 31.0   | 4.2            | 33.0   | 4.2            | 34.0   |                |        |
| 850          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 31.0   | 4.2            | 33.0   | 4.2            | 34.0   |                |        |
| 860          | 4.2            | 32.0   | 4.2            | 33.0   | 3.9            | 31.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 870          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 880          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 890          | 4.2            | 32.0   | 4.2            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 900          | 4.1            | 31.0   | 4.2            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 910          | 4.2            | 31.0   | 4.3            | 33.0   | 3.9            | 30.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 920          | 4.2            | 32.0   | 4.3            | 33.0   | 3.9            | 29.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 930          | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 29.0   | 4.2            | 32.0   | 4.3            | 34.0   |                |        |
| 940          | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 29.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 950          | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 29.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 960          | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 970          | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 980          | 4.2            | 32.0   | 4.3            | 33.0   | 3.8            | 30.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 990          | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 31.0   | 4.1            | 32.0   | 4.2            | 34.0   |                |        |
| 1000         | 4.2            | 33.0   | 4.2            | 33.0   | 3.8            | 32.0   | 4.2            | 32.0   | 4.2            | 34.0   |                |        |
| 1010         | 4.2            | 33.0   | 4.2            | 33.0   | 3.9            | 32.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 1020         | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 32.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1030         | 4.3            | 33.0   | 4.2            | 33.0   | 3.9            | 32.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1040         | 4.2            | 33.0   | 4.2            | 33.0   | 4.0            | 32.0   | 4.2            | 32.0   | 4.3            | 35.0   |                |        |
| 1050         | 4.2            | 33.0   | 4.3            | 33.0   | 3.9            | 32.0   | 4.2            | 32.0   | 4.2            | 35.0   |                |        |
| 1060         | 4.2            | 33.0   | 4.2            | 33.0   | 3.9            | 31.0   | 4.1            | 33.0   | 4.2            | 35.0   |                |        |
| 1070         | 4.3            | 33.0   | 4.2            | 33.0   | 3.8            | 30.0   | 4.2            | 33.0   | 4.3            | 35.0   |                |        |
| 1080         | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 30.0   | 4.1            | 33.0   | 4.2            | 35.0   |                |        |
| 1090         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 30.0   | 4.1            | 33.0   | 4.3            | 35.0   |                |        |
| 1100         | 4.2            | 32.0   | 4.1            | 33.0   | 3.7            | 29.0   | 4.1            | 33.0   | 4.3            | 35.0   |                |        |
| 1110         | 4.2            | 32.0   | 4.2            | 33.0   | 3.8            | 29.0   | 4.1            | 33.0   | 4.2            | 35.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 3/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 1120         | 4.1            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 33.0   | 4.3            | 35.0   |                |        |
| 1130         | 4.2            | 33.0   | 4.1            | 33.0   | 3.7            | 29.0   | 4.1            | 33.0   | 4.3            | 35.0   |                |        |
| 1140         | 4.2            | 33.0   | 4.1            | 33.0   | 3.7            | 29.0   | 4.2            | 33.0   | 4.2            | 34.0   |                |        |
| 1150         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 34.0   |                |        |
| 1160         | 4.2            | 32.0   | 4.1            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 34.0   |                |        |
| 1170         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 34.0   |                |        |
| 1180         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1190         | 4.2            | 33.0   | 4.1            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1200         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.2            | 32.0   | 4.2            | 35.0   |                |        |
| 1210         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.2            | 32.0   | 4.2            | 35.0   |                |        |
| 1220         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 33.0   | 4.2            | 35.0   |                |        |
| 1230         | 4.2            | 32.0   | 4.2            | 33.0   | 3.6            | 29.0   | 4.1            | 33.0   | 4.2            | 35.0   |                |        |
| 1240         | 4.2            | 32.0   | 4.3            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1250         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 35.0   |                |        |
| 1260         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 29.0   | 4.1            | 32.0   | 4.2            | 34.0   |                |        |
| 1270         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 30.0   | 4.1            | 32.0   | 4.3            | 34.0   |                |        |
| 1280         | 4.3            | 33.0   | 4.2            | 33.0   | 3.7            | 31.0   | 4.0            | 33.0   | 4.2            | 34.0   |                |        |
| 1290         | 4.3            | 33.0   | 4.2            | 33.0   | 3.7            | 32.0   | 4.0            | 33.0   | 4.2            | 34.0   |                |        |
| 1300         | 4.2            | 33.0   | 4.2            | 33.0   | 3.7            | 32.0   | 4.0            | 33.0   | 4.2            | 34.0   |                |        |
| 1310         | 4.2            | 33.0   | 4.2            | 34.0   | 3.7            | 31.0   | 4.0            | 32.0   | 4.2            | 34.0   |                |        |
| 1320         | 4.1            | 33.0   | 4.2            | 34.0   | 3.7            | 31.0   | 4.0            | 32.0   | 4.2            | 34.0   |                |        |
| 1330         | 4.2            | 34.0   | 4.3            | 34.0   | 3.7            | 30.0   | 4.0            | 32.0   | 4.2            | 34.0   |                |        |
| 1340         | 4.2            | 34.0   | 4.3            | 34.0   | 3.8            | 29.0   | 3.9            | 32.0   | 4.2            | 34.0   |                |        |
| 1350         | 4.2            | 34.0   | 4.2            | 34.0   | 3.7            | 29.0   | 3.9            | 31.0   | 4.3            | 34.0   |                |        |
| 1360         | 4.2            | 34.0   | 4.3            | 34.0   | 3.7            | 29.0   | 3.9            | 31.0   | 4.3            | 34.0   |                |        |
| 1370         | 4.2            | 33.0   | 4.3            | 34.0   | 3.7            | 28.0   | 3.9            | 30.0   | 4.3            | 34.0   |                |        |
| 1380         | 4.2            | 33.0   | 4.2            | 34.0   | 3.6            | 28.0   | 3.9            | 30.0   | 4.2            | 34.0   |                |        |
| 1390         | 4.2            | 33.0   | 4.2            | 34.0   | 3.6            | 28.0   | 3.9            | 31.0   | 4.2            | 34.0   |                |        |
| 1400         | 4.2            | 33.0   | 4.2            | 34.0   | 3.7            | 28.0   | 3.9            | 31.0   | 4.3            | 34.0   |                |        |
| 1410         | 4.2            | 33.0   | 4.2            | 34.0   | 3.7            | 28.0   | 3.9            | 32.0   | 4.3            | 34.0   |                |        |
| 1420         | 4.3            | 33.0   | 4.2            | 34.0   | 3.6            | 28.0   | 4.0            | 31.0   | 4.3            | 34.0   |                |        |
| 1430         | 4.3            | 33.0   | 4.3            | 34.0   | 3.6            | 28.0   | 3.9            | 31.0   | 4.3            | 34.0   |                |        |
| 1440         | 4.2            | 33.0   | 4.1            | 34.0   | 3.7            | 29.0   | 3.7            | 29.0   | 4.2            | 34.0   |                |        |
| 1450         | 4.3            | 33.0   | 4.2            | 33.0   | 3.6            | 28.0   | 3.7            | 28.0   | 4.3            | 34.0   |                |        |
| 1460         | 4.3            | 33.0   | 4.2            | 33.0   | 3.6            | 28.0   | 3.8            | 29.0   | 4.2            | 35.0   |                |        |
| 1470         | 4.3            | 33.0   | 4.1            | 33.0   | 3.7            | 28.0   | 3.7            | 29.0   | 4.2            | 35.0   |                |        |
| 1480         | 4.3            | 33.0   | 4.1            | 33.0   | 3.7            | 28.0   | 3.7            | 29.0   | 4.3            | 35.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 4/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09





WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 1490         | 4.3            | 33.0   | 4.2            | 33.0   | 3.6            | 28.0   | 3.7            | 29.0   | 4.2            | 35.0   |                |        |
| 1500         | 4.3            | 33.0   | 4.1            | 33.0   | 3.7            | 30.0   | 3.7            | 29.0   | 4.2            | 35.0   |                |        |
| 1510         | 4.2            | 33.0   | 4.1            | 33.0   | 3.8            | 30.0   | 3.6            | 28.0   | 4.3            | 34.0   |                |        |
| 1520         | 4.2            | 32.0   | 4.2            | 33.0   | 3.7            | 30.0   | 3.6            | 28.0   | 4.2            | 34.0   |                |        |
| 1530         | 4.3            | 32.0   | 4.1            | 33.0   | 3.8            | 30.0   | 3.7            | 27.0   | 4.2            | 34.0   |                |        |
| 1540         | 4.2            | 33.0   | 4.1            | 33.0   | 3.8            | 30.0   | 3.6            | 27.0   | 4.2            | 34.0   |                |        |
| 1550         | 4.2            | 34.0   | 4.2            | 33.0   | 3.8            | 30.0   | 3.6            | 28.0   | 4.2            | 34.0   |                |        |
| 1560         | 4.3            | 34.0   | 4.1            | 33.0   | 3.7            | 30.0   | 3.6            | 28.0   | 4.2            | 34.0   |                |        |
| 1570         | 4.3            | 34.0   | 4.1            | 33.0   | 3.7            | 29.0   | 3.7            | 27.0   | 4.2            | 34.0   |                |        |
| 1580         | 4.2            | 34.0   | 4.2            | 33.0   | 3.7            | 29.0   | 3.7            | 27.0   | 4.2            | 34.0   |                |        |
| 1590         | 4.3            | 34.0   | 4.1            | 33.0   | 3.7            | 29.0   | 3.6            | 28.0   | 4.2            | 34.0   |                |        |
| 1600         | 4.4            | 34.0   | 4.1            | 33.0   | 3.7            | 29.0   | 3.5            | 27.0   | 4.2            | 34.0   |                |        |
| 1610         | 4.3            | 34.0   | 4.2            | 33.0   | 3.6            | 29.0   | 3.5            | 26.0   | 4.1            | 34.0   |                |        |
| 1620         | 4.3            | 34.0   | 4.1            | 33.0   | 3.7            | 30.0   | 3.4            | 26.0   | 4.2            | 34.0   |                |        |
| 1630         | 4.4            | 34.0   | 4.1            | 33.0   | 3.7            | 30.0   | 3.4            | 26.0   | 4.2            | 34.0   |                |        |
| 1640         | 4.3            | 34.0   | 4.2            | 33.0   | 3.8            | 30.0   | 3.4            | 25.0   | 4.1            | 34.0   |                |        |
| 1650         | 4.3            | 34.0   | 4.1            | 33.0   | 3.8            | 29.0   | 3.5            | 25.0   | 4.2            | 34.0   |                |        |
| 1660         | 4.4            | 34.0   | 4.1            | 33.0   | 3.8            | 29.0   | 3.6            | 26.0   | 4.2            | 34.0   |                |        |
| 1670         | 4.4            | 34.0   | 4.2            | 33.0   | 3.8            | 29.0   | 3.6            | 26.0   | 4.2            | 34.0   |                |        |
| 1680         | 4.3            | 34.0   | 4.2            | 32.0   | 3.9            | 30.0   | 3.7            | 26.0   | 4.2            | 34.0   |                |        |
| 1690         | 4.3            | 33.0   | 4.1            | 32.0   | 3.8            | 31.0   | 3.7            | 26.0   | 4.2            | 33.0   |                |        |
| 1700         | 4.4            | 33.0   | 4.1            | 33.0   | 3.9            | 31.0   | 3.7            | 26.0   | 4.2            | 33.0   |                |        |
| 1710         | 4.3            | 34.0   | 4.2            | 33.0   | 3.9            | 31.0   | 3.8            | 26.0   | 4.2            | 34.0   |                |        |
| 1720         | 4.3            | 35.0   | 4.1            | 33.0   | 3.9            | 30.0   | 3.8            | 25.0   | 4.2            | 34.0   |                |        |
| 1730         | 4.3            | 35.0   | 4.1            | 33.0   | 3.8            | 30.0   | 3.8            | 25.0   | 4.2            | 34.0   |                |        |
| 1740         | 4.4            | 35.0   | 4.1            | 33.0   | 3.9            | 30.0   | 3.7            | 25.0   | 4.2            | 34.0   |                |        |
| 1750         | 4.4            | 35.0   | 4.1            | 33.0   | 3.9            | 30.0   | 3.6            | 25.0   | 4.3            | 34.0   |                |        |
| 1760         | 4.4            | 36.0   | 4.1            | 34.0   | 3.8            | 31.0   | 3.6            | 26.0   | 4.2            | 34.0   |                |        |
| 1770         | 4.3            | 36.0   | 4.2            | 34.0   | 3.8            | 30.0   | 3.6            | 26.0   | 4.1            | 34.0   |                |        |
| 1780         | 4.4            | 37.0   | 4.1            | 34.0   | 3.8            | 31.0   | 3.6            | 26.0   | 4.2            | 34.0   |                |        |
| 1790         | 4.4            | 37.0   | 4.2            | 34.0   | 3.8            | 31.0   | 3.6            | 25.0   | 4.2            | 34.0   |                |        |
| 1800         | 4.4            | 37.0   | 4.2            | 34.0   | 3.8            | 31.0   | 3.5            | 26.0   | 4.2            | 34.0   |                |        |
| 1810         | 4.5            | 37.0   | 4.3            | 34.0   | 3.8            | 31.0   | 3.5            | 26.0   | 4.2            | 34.0   |                |        |
| 1820         | 4.4            | 37.0   | 4.3            | 34.0   | 3.8            | 31.0   | 3.6            | 26.0   | 4.3            | 34.0   |                |        |
| 1830         | 4.4            | 36.0   | 4.3            | 35.0   | 3.9            | 32.0   | 3.6            | 26.0   | 4.3            | 34.0   |                |        |
| 1840         | 4.5            | 36.0   | 4.3            | 35.0   | 3.9            | 32.0   | 3.6            | 26.0   | 4.3            | 34.0   |                |        |
| 1850         | 4.5            | 37.0   | 4.3            | 35.0   | 3.9            | 32.0   | 3.6            | 25.0   | 4.2            | 34.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 5/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09







WCH Sarasota-Bradenton, USA

24 September - 1 October 2017

17

RACE DATA

LW1x

(Event)

Lightweight Women's Single Sculls

H2

24 SEP 2017

Race 11

| Dist.<br>[m] | USA            |        | POL            |        | PAR            |        | MEX            |        | SUI            |        | Speed<br>[m/s] | Stroke |
|--------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|              | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke | Speed<br>[m/s] | Stroke |                |        |
| 1860         | 4.5            | 37.0   | 4.3            | 36.0   | 3.9            | 32.0   | 3.6            | 25.0   | 4.3            | 36.0   |                |        |
| 1870         | 4.5            | 38.0   | 4.2            | 35.0   | 3.9            | 33.0   | 3.6            | 26.0   | 4.3            | 36.0   |                |        |
| 1880         | 4.4            | 38.0   | 4.3            | 35.0   | 3.9            | 33.0   | 3.6            | 26.0   | 4.3            | 37.0   |                |        |
| 1890         | 4.5            | 37.0   | 4.2            | 35.0   | 4.0            | 33.0   | 3.7            | 26.0   | 4.3            | 37.0   |                |        |
| 1900         | 4.5            | 38.0   | 4.2            | 35.0   | 3.9            | 33.0   | 3.7            | 27.0   | 4.3            | 38.0   |                |        |
| 1910         | 4.5            | 38.0   | 4.2            | 34.0   | 3.9            | 33.0   | 3.7            | 27.0   | 4.3            | 38.0   |                |        |
| 1920         | 4.6            | 39.0   | 4.2            | 34.0   | 3.9            | 32.0   | 3.7            | 27.0   | 4.4            | 38.0   |                |        |
| 1930         | 4.6            | 39.0   | 4.2            | 33.0   | 3.8            | 32.0   | 3.8            | 27.0   | 4.4            | 38.0   |                |        |
| 1940         | 4.6            | 39.0   | 4.1            | 32.0   | 3.9            | 32.0   | 3.8            | 27.0   | 4.3            | 39.0   |                |        |
| 1950         | 4.5            | 38.0   | 4.2            | 32.0   | 3.9            | 31.0   | 3.8            | 27.0   | 4.3            | 39.0   |                |        |
| 1960         | 4.5            | 38.0   | 4.1            | 32.0   | 3.8            | 30.0   | 3.6            | 26.0   | 4.4            | 39.0   |                |        |
| 1970         | 4.5            | 38.0   | 4.0            | 31.0   | 3.9            | 30.0   | 3.5            | 26.0   | 4.4            | 39.0   |                |        |
| 1980         | 4.4            | 38.0   | 4.0            | 31.0   | 3.9            | 30.0   | 3.5            | 26.0   | 4.4            | 39.0   |                |        |
| 1990         | 4.5            | 37.0   | 3.9            | 31.0   | 3.9            | 30.0   | 3.5            | 26.0   | 4.4            | 39.0   |                |        |
| 2000         | 4.3            | 37.0   | 3.9            | 30.0   | 3.7            | 29.0   | 3.5            | 25.0   | 4.5            | 39.0   |                |        |

INTERNET Service: [www.worldrowing.com](http://www.worldrowing.com)

Page 6/6

FISA Data Service

data processing by SWISS TIMING

Report Created SUN 24 SEP 2017 / 15:09

