



RWC I Bled, Slovenia

27 - 30 May 2010

9
(Event)

GPS RACE DATA
Lightweight Men's Double Sculls - Final B
SUN 30 MAY 2010

LM2x
FB
Race 138

Dist. [m]	SLO		AUT		USA		GRE		CHN2		GBR	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
50	3.8	40.3	3.3	37.9	4.1	40.8	4.7	41.6	4.7	42.4	4.6	42.3
100	4.9	39.5	4.8	39.2	5.0	42.2	5.5	41.8	5.7	42.0	5.1	42.1
150	5.2	38.9	5.2	39.5	5.6	41.2	5.4	40.6	5.7	40.7	5.5	41.6
200	5.4	37.9	5.5	38.9	5.6	40.6	5.4	39.8	5.5	38.9	5.6	40.7
250	5.3	37.4	5.6	38.2	5.5	39.1	5.3	38.4	5.4	37.7	5.6	39.7
300	5.3	36.7	5.6	36.9	5.5	39.1	5.3	37.3	5.3	36.3	5.6	38.9
350	5.2	36.3	5.4	36.9	5.4	37.9	5.2	36.4	4.9	35.2	5.4	37.8
400	5.1	36.0	5.3	36.5	5.4	37.8	5.2	35.9	5.0	34.5	5.4	37.2
450	5.1	35.7	5.1	36.7	5.4	37.2	5.3	35.2	5.0	33.7	5.5	36.9
500	5.1	35.3	5.1	35.6	5.4	36.6	5.3	34.8	5.2	33.2	5.5	36.6
550	5.1	35.3	5.1	35.1	5.4	37.4	5.2	34.3	5.0	33.2	5.3	36.4
600	5.1	35.2	5.0	34.9	5.3	39.1	5.2	34.5	5.1	33.1	5.4	36.2
650	5.1	35.0	5.0	35.2	5.3	39.8	5.2	34.9	5.1	32.8	5.3	36.0
700	5.1	34.9	5.0	36.2	5.3	38.6	5.2	34.4	5.0	32.7	5.2	35.9
750	5.0	34.8	5.0	35.3	5.4	37.9	5.1	35.0	5.1	32.6	5.3	35.7
800	5.0	34.8	5.1	34.9	5.3	36.7	5.1	35.3	5.1	32.7	5.2	35.5
850	5.0	34.7	5.1	34.9	5.3	40.4	5.2	34.3	5.2	32.8	5.3	35.3
900	5.0	34.6	5.1	35.2	5.1	40.1	5.1	33.3	5.1	32.6	5.0	35.1
950	5.0	34.6	5.1	36.4	5.2	41.0	5.1	33.1	5.2	32.5	5.2	35.0
1000	4.9	34.8	5.1	36.4	5.2	41.0	5.1	33.0	5.0	32.3	5.2	35.0
1050	5.0	34.5	5.0	37.6	5.3	38.8	5.1	34.5	5.0	32.4	5.2	35.3
1100	5.0	34.4	5.1	36.8	5.2	37.6	5.1	34.4	5.1	32.4	5.1	35.6
1150	5.1	34.6	5.1	36.2	5.1	36.0	5.0	34.0	5.0	33.6	5.2	35.4
1200	5.0	34.4	5.0	36.0	5.2	36.8	5.0	32.8	5.1	32.5	5.0	35.0
1250	4.8	34.2	4.9	35.0	5.2	36.6	5.0	33.6	5.1	32.3	5.1	34.9
1300	4.8	34.2	4.9	34.7	5.3	37.0	4.9	36.0	5.2	32.0	5.3	35.2
1350	4.9	34.3	4.9	34.2	5.3	37.2	4.9	34.0	5.0	32.0	5.1	35.1
1400	5.0	34.3	4.9	34.7	5.2	36.5	4.9	39.2	4.9	32.2	5.0	35.1
1450	4.8	34.5	5.0	36.0	5.1	36.4	4.8	40.4	5.0	31.8	5.0	35.0
1500	4.9	34.5	4.9	36.6	5.2	36.1	5.0	36.5	4.9	31.7	5.2	34.8
1550	4.9	34.4	4.9	35.6	5.2	36.6	4.9	37.6	4.9	32.0	5.0	34.7
1600	4.8	34.2	4.9	35.9	5.2	36.0	4.8	39.6	5.0	32.0	5.2	34.8
1650	4.8	34.3	4.9	35.5	5.2	36.3	4.8	36.5	4.9	32.2	5.0	35.1
1700	4.9	34.7	4.9	37.0	5.3	36.9	4.9	34.5	4.9	32.3	5.0	35.5
1750	4.9	34.8	4.9	36.3	5.4	36.7	4.8	33.7	4.9	32.6	4.9	35.4
1800	5.0	35.5	4.9	36.5	5.4	36.4	4.7	34.1	5.0	33.9	4.9	35.6
1850	5.1	36.6	4.9	35.8	5.3	37.5	4.9	33.4	4.9	33.9	5.1	36.4
1900	5.1	37.8	4.9	37.2	5.4	36.6	5.2	34.5	5.0	34.1	5.3	36.8
1950	5.3	38.2	5.0	36.8	5.5	39.0	5.2	35.3	5.4	35.1	5.3	37.2
2000	5.3	39.0	5.2	37.2	5.5	39.0	5.4	35.9	5.4	35.8	5.4	38.0