

Dist. [m]	CRO		POL		SUI		SLO		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
10	5.2	61.0	4.4	51.0	4.6	56.0	4.2	47.0	4.6	54.0		
20	5.7	60.0	5.1	51.0	5.3	57.0	5.7	47.0	4.6	53.0		
30	5.9	59.0	6.2	51.0	4.2	57.0	5.2	46.0	6.5	51.0		
40	4.3	56.0	7.1	50.0	6.7	57.0	6.3	45.0	4.7	49.0		
50	6.4	54.0	4.8	49.0	4.9	55.0	6.4	43.0	5.0	46.0		
60	6.2	52.0	6.3	47.0	6.9	53.0	6.0	43.0	6.1	44.0		
70	5.5	50.0	7.0	46.0	4.8	52.0	4.2	41.0	6.4	43.0		
80	6.5	49.0	6.4	45.0	5.9	50.0	5.6	40.0	6.8	42.0		
90	6.9	48.0	4.7	44.0	5.9	49.0	5.8	40.0	6.4	41.0		
100	4.4	47.0	5.8	44.0	5.4	48.0	6.1	39.0	4.5	40.0		
110	5.8	46.0	6.7	43.0	6.7	47.0	6.5	39.0	5.5	40.0		
120	6.4	44.0	6.8	43.0	5.6	47.0	6.1	39.0	5.7	39.0		
130	5.9	43.0	4.5	42.0	5.7	46.0	4.2	39.0	6.0	39.0		
140	4.2	42.0	5.2	42.0	6.0	45.0	4.7	39.0	6.5	39.0		
150	5.1	41.0	5.9	41.0	6.6	44.0	5.5	38.0	6.3	39.0		
160	5.7	40.0	6.3	40.0	4.5	44.0	6.0	38.0	4.5	39.0		
170	6.1	40.0	6.3	40.0	5.7	44.0	6.2	38.0	4.8	39.0		
180	6.3	40.0	4.8	39.0	6.5	43.0	6.1	37.0	5.5	38.0		
190	4.0	39.0	4.2	38.0	4.9	43.0	4.0	37.0	5.8	38.0		
200	4.3	39.0	5.1	38.0	5.5	43.0	4.2	37.0	6.2	38.0		
210	5.6	38.0	5.6	38.0	6.2	43.0	5.4	37.0	6.5	38.0		
220	5.8	38.0	5.9	37.0	6.6	43.0	5.6	37.0	5.6	38.0		
230	6.1	38.0	6.2	37.0	4.3	43.0	5.9	37.0	4.2	38.0		
240	5.1	38.0	5.8	37.0	5.5	42.0	6.2	37.0	4.8	38.0		
250	4.0	37.0	4.4	37.0	5.9	42.0	5.7	37.0	5.4	38.0		
260	5.3	37.0	4.3	37.0	6.6	41.0	4.0	37.0	6.0	38.0		
270	5.5	37.0	5.4	37.0	4.3	41.0	4.9	37.0	6.4	38.0		
280	6.0	37.0	5.7	37.0	5.3	41.0	5.4	37.0	6.1	38.0		
290	6.1	37.0	5.9	37.0	5.7	41.0	5.8	37.0	4.0	38.0		
300	4.2	37.0	6.1	37.0	6.3	40.0	5.9	37.0	4.2	38.0		
310	4.1	37.0	5.5	37.0	4.0	40.0	6.2	36.0	5.4	37.0		
320	5.3	37.0	4.1	37.0	5.3	40.0	5.2	36.0	5.5	37.0		
330	5.5	37.0	4.8	37.0	5.5	39.0	4.0	36.0	6.1	37.0		
340	6.0	37.0	5.6	37.0	6.2	39.0	4.1	36.0	6.2	37.0		
350	6.0	37.0	5.8	37.0	4.0	39.0	5.3	36.0	4.3	36.0		
360	4.4	37.0	6.2	37.0	4.2	39.0	5.7	36.0	4.1	36.0		
370	4.0	37.0	5.8	36.0	5.5	39.0	5.7	36.0	4.5	36.0		
380	5.1	36.0	3.9	36.0	6.0	39.0	6.1	35.0	5.4	36.0		
390	5.5	36.0	4.5	36.0	6.1	39.0	5.8	35.0	5.8	36.0		
400	5.9	36.0	5.4	36.0	4.2	39.0	4.0	35.0	6.1	36.0		

4
(Event)

RACE DATA
Men's Double Sculls
06 MAY 2017

M2x
R1
Race 44

Dist. [m]	CRO		POL		SUI		SLO		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
410	4.8	36.0	5.6	36.0	5.4	39.0	4.1	35.0	5.4	36.0		
420	3.9	36.0	6.2	36.0	5.7	39.0	5.3	35.0	4.0	36.0		
430	5.0	36.0	6.0	36.0	6.3	39.0	5.4	35.0	4.1	36.0		
440	5.5	36.0	3.8	36.0	3.9	39.0	5.7	35.0	5.2	36.0		
450	5.6	36.0	4.3	36.0	4.9	39.0	5.8	35.0	5.6	36.0		
460	5.9	36.0	5.2	36.0	5.4	39.0	5.9	35.0	5.8	36.0		
470	4.2	36.0	5.8	36.0	6.3	39.0	4.4	35.0	5.9	36.0		
480	4.7	36.0	6.1	36.0	5.5	39.0	4.0	35.0	3.8	36.0		
490	5.1	36.0	5.7	36.0	4.1	39.0	4.8	35.0	4.2	36.0		
500	5.5	36.0	3.8	36.0	5.4	39.0	5.1	35.0	5.3	36.0		
510	6.0	36.0	4.4	36.0	5.6	38.0	5.5	35.0	5.4	36.0		
520	5.0	36.0	4.8	36.0	6.2	38.0	5.7	35.0	6.0	36.0		
530	3.7	36.0	5.5	36.0	4.5	38.0	5.8	35.0	6.2	36.0		
540	4.5	36.0	6.0	36.0	4.3	38.0	5.8	35.0	4.6	36.0		
550	5.2	35.0	5.6	36.0	5.4	38.0	4.0	35.0	4.0	36.0		
560	5.5	35.0	3.8	36.0	5.7	38.0	4.1	35.0	4.9	36.0		
570	5.8	35.0	4.3	36.0	6.1	38.0	5.1	35.0	5.4	36.0		
580	4.1	35.0	5.1	36.0	4.0	38.0	5.5	35.0	5.7	36.0		
590	4.8	35.0	5.6	35.0	4.4	38.0	5.6	35.0	6.1	36.0		
600	5.1	35.0	5.7	35.0	5.4	38.0	5.9	35.0	4.2	36.0		
610	5.5	35.0	5.9	35.0	5.7	38.0	5.7	35.0	4.0	36.0		
620	5.9	35.0	4.2	35.0	5.9	38.0	5.4	35.0	5.1	36.0		
630	4.7	35.0	4.5	35.0	4.1	38.0	4.1	35.0	5.3	36.0		
640	3.9	35.0	4.8	35.0	5.3	38.0	4.3	35.0	5.6	36.0		
650	5.2	35.0	5.5	35.0	5.4	38.0	5.3	35.0	6.1	36.0		
660	5.3	35.0	6.1	35.0	6.2	38.0	5.6	35.0	5.7	36.0		
670	5.7	35.0	6.1	35.0	3.9	38.0	5.7	35.0	3.8	36.0		
680	5.6	35.0	4.9	35.0	4.5	38.0	6.0	35.0	4.5	36.0		
690	3.8	35.0	4.3	35.0	5.3	38.0	5.5	35.0	5.3	36.0		
700	4.8	35.0	5.1	35.0	5.7	38.0	3.9	35.0	5.7	36.0		
710	5.4	35.0	5.3	35.0	5.9	38.0	4.1	35.0	6.0	36.0		
720	5.7	35.0	5.7	35.0	3.9	38.0	5.1	35.0	5.5	36.0		
730	5.5	35.0	5.8	35.0	5.1	38.0	5.2	35.0	3.8	36.0		
740	3.7	35.0	3.9	35.0	5.3	38.0	5.5	35.0	4.4	36.0		
750	4.6	35.0	3.9	35.0	6.0	38.0	5.8	35.0	5.3	36.0		
760	5.2	35.0	4.8	35.0	6.1	38.0	5.9	35.0	5.6	36.0		
770	5.4	35.0	5.5	35.0	4.0	38.0	5.7	35.0	5.9	36.0		
780	5.7	35.0	5.9	35.0	4.9	38.0	4.0	35.0	5.6	36.0		
790	3.6	35.0	5.7	35.0	5.5	38.0	4.0	35.0	4.0	36.0		
800	4.3	35.0	3.7	35.0	6.2	38.0	4.9	35.0	5.1	36.0		

Dist. [m]	CRO		POL		SUI		SLO		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
810	5.2	35.0	4.1	35.0	5.9	38.0	5.4	35.0	5.3	36.0		
820	5.6	35.0	4.9	35.0	4.1	38.0	5.4	35.0	5.7	36.0		
830	5.9	35.0	5.5	35.0	5.2	38.0	5.6	35.0	5.9	36.0		
840	4.2	35.0	6.0	35.0	5.4	38.0	5.9	35.0	3.8	36.0		
850	3.9	35.0	6.0	35.0	5.9	38.0	5.2	35.0	4.2	36.0		
860	4.9	35.0	4.9	35.0	6.2	38.0	3.8	35.0	5.2	36.0		
870	5.4	35.0	4.2	35.0	3.9	38.0	4.1	35.0	5.4	36.0		
880	5.6	35.0	5.1	35.0	4.4	38.0	4.2	35.0	6.0	36.0		
890	5.8	35.0	5.6	35.0	5.4	38.0	5.3	35.0	6.2	36.0		
900	4.2	35.0	5.9	35.0	5.6	38.0	5.5	35.0	4.7	36.0		
910	3.8	35.0	5.8	35.0	6.1	38.0	5.8	35.0	4.0	36.0		
920	4.7	35.0	3.8	35.0	3.8	38.0	5.8	35.0	5.0	36.0		
930	5.2	35.0	4.3	35.0	4.5	38.0	5.8	35.0	5.4	36.0		
940	5.4	35.0	5.2	35.0	5.3	37.0	4.4	35.0	5.8	36.0		
950	5.8	35.0	5.6	35.0	5.6	37.0	3.9	35.0	6.0	36.0		
960	3.7	35.0	6.0	35.0	6.1	37.0	4.4	35.0	3.8	36.0		
970	3.7	35.0	5.6	35.0	3.8	37.0	5.3	35.0	4.3	36.0		
980	5.0	35.0	3.8	35.0	4.4	37.0	5.5	34.0	5.3	36.0		
990	5.3	35.0	4.5	36.0	5.2	37.0	5.5	34.0	5.4	36.0		
1000	5.7	35.0	5.3	36.0	5.5	37.0	5.8	34.0	5.9	36.0		
1010	5.6	35.0	5.9	36.0	6.1	37.0	5.8	34.0	6.2	36.0		
1020	4.0	35.0	6.1	36.0	5.2	37.0	4.4	34.0	4.5	36.0		
1030	4.2	35.0	5.2	36.0	4.1	37.0	3.9	34.0	4.0	36.0		
1040	5.0	35.0	4.1	36.0	5.4	37.0	4.3	34.0	5.0	36.0		
1050	5.2	34.0	4.9	36.0	5.8	37.0	5.2	34.0	5.4	36.0		
1060	5.4	34.0	5.2	36.0	6.2	37.0	5.4	34.0	6.0	36.0		
1070	5.8	34.0	5.8	36.0	4.0	37.0	5.6	34.0	6.0	36.0		
1080	3.9	34.0	6.2	36.0	4.2	37.0	5.6	34.0	3.9	36.0		
1090	4.0	34.0	5.1	36.0	5.3	37.0	5.8	34.0	4.2	36.0		
1100	4.7	34.0	3.9	36.0	5.4	37.0	4.7	34.0	5.2	36.0		
1110	5.1	34.0	4.8	36.0	6.1	37.0	4.0	34.0	5.7	36.0		
1120	5.5	34.0	5.6	36.0	4.5	37.0	5.1	34.0	6.0	36.0		
1130	5.6	34.0	6.1	36.0	4.0	37.0	5.2	34.0	5.4	36.0		
1140	3.5	34.0	5.9	36.0	5.2	36.0	5.4	34.0	3.9	36.0		
1150	4.4	34.0	3.8	36.0	5.5	36.0	5.6	34.0	4.9	36.0		
1160	4.9	34.0	4.4	36.0	5.8	36.0	5.8	34.0	5.4	36.0		
1170	5.3	34.0	5.3	36.0	5.6	36.0	5.1	34.0	6.1	36.0		
1180	5.6	34.0	5.8	36.0	4.2	36.0	3.8	34.0	6.0	36.0		
1190	5.2	34.0	6.1	36.0	4.9	36.0	4.8	34.0	3.7	36.0		
1200	3.7	34.0	5.0	36.0	5.4	36.0	5.2	34.0	4.4	36.0		

4
(Event)

RACE DATA
Men's Double Sculls
06 MAY 2017

M2x
R1
Race 44

Dist. [m]	CRO		POL		SUI		SLO		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
1210	5.0	34.0	4.0	36.0	6.0	36.0	5.5	34.0	5.3	36.0		
1220	5.3	34.0	4.9	36.0	4.6	36.0	5.8	34.0	5.7	36.0		
1230	5.6	34.0	5.6	36.0	4.0	36.0	5.4	34.0	6.1	36.0		
1240	5.8	34.0	5.8	36.0	5.2	36.0	3.8	34.0	4.8	36.0		
1250	4.5	34.0	5.8	36.0	5.5	36.0	3.9	34.0	4.7	36.0		
1260	3.7	34.0	3.9	36.0	6.0	36.0	4.8	34.0	5.1	36.0		
1270	4.7	34.0	4.9	37.0	4.5	36.0	5.3	34.0	5.6	36.0		
1280	5.1	34.0	5.3	37.0	4.1	37.0	5.4	34.0	6.1	36.0		
1290	5.2	34.0	5.9	37.0	5.3	37.0	5.8	34.0	3.9	36.0		
1300	5.5	34.0	6.3	37.0	5.7	37.0	5.4	34.0	4.1	36.0		
1310	4.6	34.0	4.0	37.0	6.1	37.0	3.7	34.0	5.2	36.0		
1320	3.7	34.0	4.5	37.0	4.5	37.0	4.8	34.0	5.6	36.0		
1330	4.9	34.0	5.0	37.0	4.0	37.0	5.0	34.0	6.0	36.0		
1340	5.1	34.0	5.9	37.0	5.1	37.0	5.3	34.0	5.0	36.0		
1350	5.5	34.0	6.3	37.0	5.5	36.0	5.5	34.0	4.0	36.0		
1360	4.9	34.0	6.0	37.0	6.1	36.0	5.8	34.0	5.1	36.0		
1370	3.6	34.0	4.0	37.0	3.8	36.0	5.2	34.0	5.4	36.0		
1380	5.0	34.0	5.1	37.0	4.6	37.0	3.8	34.0	6.0	36.0		
1390	5.3	34.0	5.6	37.0	5.3	37.0	4.2	34.0	3.9	36.0		
1400	5.6	34.0	6.4	37.0	5.5	37.0	5.1	34.0	3.9	36.0		
1410	5.8	34.0	5.9	37.0	6.1	37.0	5.2	34.0	5.2	36.0		
1420	4.4	34.0	4.1	37.0	3.8	37.0	5.5	34.0	5.5	36.0		
1430	3.8	34.0	5.1	37.0	4.5	37.0	5.8	34.0	5.8	36.0		
1440	4.7	35.0	5.6	37.0	5.5	37.0	4.3	34.0	3.9	36.0		
1450	5.3	35.0	6.0	37.0	6.0	38.0	3.8	34.0	5.0	36.0		
1460	5.6	35.0	5.6	38.0	5.1	38.0	4.1	34.0	5.5	36.0		
1470	5.2	35.0	3.9	38.0	4.2	38.0	5.1	34.0	6.0	36.0		
1480	3.9	35.0	4.8	38.0	5.4	38.0	5.3	34.0	3.7	36.0		
1490	4.9	35.0	5.8	38.0	5.6	38.0	5.5	34.0	4.2	36.0		
1500	5.4	35.0	6.3	38.0	6.0	38.0	5.8	34.0	5.1	36.0		
1510	5.8	35.0	6.0	38.0	5.1	38.0	5.4	34.0	5.5	36.0		
1520	4.3	35.0	4.1	38.0	4.1	38.0	3.7	34.0	5.8	36.0		
1530	4.2	35.0	5.2	38.0	4.9	38.0	4.9	34.0	3.8	36.0		
1540	5.0	35.0	5.7	38.0	5.6	38.0	5.2	34.0	4.8	36.0		
1550	5.4	35.0	6.2	38.0	5.9	38.0	5.4	35.0	5.1	36.0		
1560	5.8	35.0	5.1	38.0	5.1	38.0	5.8	35.0	5.8	36.0		
1570	5.3	35.0	4.7	38.0	4.1	38.0	5.8	35.0	5.3	36.0		
1580	3.8	35.0	5.2	38.0	5.4	38.0	5.5	35.0	3.8	36.0		
1590	4.7	35.0	6.1	38.0	5.7	38.0	3.9	35.0	4.8	36.0		
1600	5.3	35.0	6.0	38.0	5.8	38.0	4.7	35.0	5.7	36.0		

Dist. [m]	CRO		POL		SUI		SLO		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
1610	5.4	35.0	3.9	38.0	3.9	38.0	5.4	35.0	5.4	36.0		
1620	5.7	35.0	4.9	38.0	4.4	38.0	5.5	35.0	3.6	36.0		
1630	3.5	35.0	5.8	38.0	5.3	38.0	5.9	35.0	4.8	36.0		
1640	4.6	35.0	6.2	38.0	6.1	38.0	6.3	35.0	5.1	36.0		
1650	4.9	35.0	4.5	38.0	6.0	38.0	5.4	35.0	5.8	36.0		
1660	5.6	35.0	4.2	38.0	3.9	38.0	4.6	35.0	4.9	36.0		
1670	5.1	35.0	5.4	37.0	4.7	38.0	4.0	35.0	4.0	36.0		
1680	3.5	35.0	5.7	37.0	5.6	38.0	4.8	35.0	5.0	36.0		
1690	4.7	35.0	5.9	37.0	6.0	38.0	5.4	35.0	5.6	36.0		
1700	5.2	34.0	5.6	37.0	4.5	38.0	5.5	35.0	5.5	36.0		
1710	5.7	34.0	4.0	37.0	4.3	38.0	5.9	35.0	3.7	35.0		
1720	4.9	34.0	5.0	37.0	5.4	38.0	6.0	35.0	4.4	35.0		
1730	3.8	34.0	5.7	37.0	5.7	38.0	5.5	35.0	5.2	35.0		
1740	4.8	34.0	6.1	37.0	6.0	38.0	3.9	35.0	5.8	35.0		
1750	5.4	35.0	4.9	37.0	4.1	38.0	4.0	35.0	5.2	35.0		
1760	5.8	35.0	4.1	37.0	4.3	38.0	4.4	35.0	3.7	35.0		
1770	5.5	35.0	5.2	37.0	5.4	38.0	5.3	35.0	4.9	35.0		
1780	3.8	35.0	5.9	37.0	5.8	38.0	5.7	35.0	5.1	34.0		
1790	5.0	35.0	6.1	37.0	5.7	38.0	6.2	35.0	5.5	34.0		
1800	5.4	35.0	4.0	37.0	4.1	38.0	5.8	37.0	4.6	34.0		
1810	5.9	35.0	5.1	37.0	5.2	38.0	4.0	37.0	3.7	34.0		
1820	4.7	35.0	5.6	37.0	5.3	38.0	5.0	37.0	4.8	34.0		
1830	3.8	35.0	5.9	37.0	5.9	37.0	5.5	37.0	5.1	34.0		
1840	4.7	35.0	5.5	37.0	5.2	37.0	5.7	37.0	5.7	34.0		
1850	5.2	35.0	4.0	37.0	4.0	37.0	6.1	37.0	4.8	34.0		
1860	5.6	35.0	5.1	37.0	5.3	37.0	6.2	36.0	4.1	34.0		
1870	5.7	35.0	5.6	37.0	5.4	37.0	6.1	36.0	4.8	34.0		
1880	3.9	35.0	6.2	37.0	6.2	37.0	4.1	36.0	5.1	34.0		
1890	5.0	35.0	5.3	37.0	6.0	37.0	4.1	36.0	5.5	34.0		
1900	5.5	35.0	4.6	37.0	4.1	37.0	5.3	36.0	3.4	34.0		
1910	5.9	35.0	5.0	37.0	4.9	37.0	5.5	35.0	3.8	33.0		
1920	5.1	35.0	5.8	37.0	5.5	37.0	5.6	35.0	4.8	33.0		
1930	3.6	35.0	5.4	37.0	6.0	37.0	6.0	36.0	5.1	33.0		
1940	4.9	35.0	3.9	37.0	3.9	37.0	6.1	36.0	5.5	33.0		
1950	5.3	35.0	5.0	37.0	4.1	37.0	5.2	36.0	4.8	33.0		
1960	5.8	35.0	5.8	37.0	5.2	37.0	3.9	36.0	3.6	33.0		
1970	5.3	35.0	6.2	37.0	5.6	37.0	4.4	35.0	4.6	33.0		
1980	3.6	35.0	3.9	37.0	5.9	37.0	5.3	35.0	4.9	33.0		
1990	5.0	35.0	4.3	37.0	3.7	36.0	5.5	35.0	5.5	33.0		
2000	5.1	35.0	4.7	37.0	4.1	36.0	5.5	35.0	4.2	33.0		