

Dist. [m]	BLR		SRB		CZE1		RUS3		CZE2		SUI	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
10	4.2	47.0	4.4	53.0	4.4	47.0	3.0	47.0	3.8	48.0	3.4	47.0
20	4.8	47.0	5.8	54.0	3.7	47.0	5.7	46.0	4.9	48.0	5.9	46.0
30	5.7	47.0	5.2	54.0	5.9	47.0	4.6	46.0	5.8	48.0	4.7	46.0
40	6.6	47.0	7.4	55.0	6.9	47.0	5.9	46.0	7.2	48.0	6.0	46.0
50	7.5	47.0	5.8	56.0	4.6	47.0	6.3	46.0	4.6	47.0	6.5	46.0
60	5.0	47.0	7.7	55.0	5.9	47.0	7.2	46.0	5.7	47.0	5.0	46.0
70	6.1	46.0	5.1	54.0	6.5	47.0	4.7	45.0	7.4	47.0	5.1	46.0
80	6.5	45.0	6.5	53.0	7.6	47.0	5.4	45.0	5.6	46.0	6.2	46.0
90	7.5	45.0	6.7	52.0	4.8	46.0	6.3	45.0	4.8	46.0	7.5	46.0
100	6.9	45.0	5.3	52.0	5.7	45.0	6.8	45.0	6.1	46.0	5.1	46.0
110	5.1	44.0	6.4	51.0	6.3	45.0	7.3	45.0	6.8	45.0	5.0	46.0
120	4.6	43.0	7.0	50.0	7.0	45.0	4.6	45.0	7.1	45.0	6.1	45.0
130	5.5	42.0	5.4	50.0	7.3	45.0	5.0	44.0	4.8	45.0	7.1	45.0
140	5.9	41.0	6.4	49.0	5.0	44.0	6.0	43.0	6.0	44.0	6.5	45.0
150	6.4	40.0	7.2	48.0	5.4	44.0	6.6	43.0	6.8	44.0	5.1	45.0
160	6.6	40.0	4.5	48.0	6.1	43.0	7.1	43.0	7.2	44.0	6.0	45.0
170	6.9	40.0	6.1	48.0	6.3	43.0	7.0	43.0	4.4	44.0	7.2	45.0
180	6.6	40.0	7.2	47.0	7.2	43.0	4.5	42.0	5.7	44.0	6.4	45.0
190	6.0	40.0	6.5	46.0	5.6	43.0	4.7	41.0	6.0	43.0	4.9	45.0
200	4.4	40.0	5.0	46.0	4.9	43.0	5.8	41.0	7.1	43.0	5.8	44.0
210	5.0	40.0	5.9	45.0	5.6	42.0	6.0	41.0	6.8	42.0	6.7	44.0
220	5.4	39.0	7.1	45.0	6.2	42.0	6.4	41.0	4.6	42.0	6.9	44.0
230	5.9	39.0	6.6	45.0	6.7	42.0	6.6	40.0	5.1	42.0	4.4	44.0
240	6.1	39.0	4.6	44.0	7.1	42.0	6.7	40.0	5.9	41.0	5.8	43.0
250	6.8	39.0	5.2	43.0	4.6	42.0	6.4	40.0	6.9	41.0	6.0	43.0
260	6.9	39.0	6.3	43.0	4.8	42.0	4.3	39.0	7.0	41.0	7.0	43.0
270	6.3	39.0	6.8	43.0	5.9	42.0	4.8	39.0	4.7	40.0	4.2	43.0
280	4.2	39.0	5.8	43.0	6.0	42.0	5.1	39.0	5.4	40.0	5.2	43.0
290	4.5	39.0	4.7	43.0	7.0	41.0	5.9	39.0	5.6	40.0	5.7	42.0
300	5.7	39.0	5.7	42.0	6.9	41.0	6.2	39.0	6.1	40.0	6.2	41.0
310	6.1	39.0	6.0	42.0	4.2	41.0	6.2	39.0	6.9	40.0	6.8	41.0
320	6.2	39.0	6.8	42.0	4.8	40.0	6.8	39.0	5.1	40.0	6.3	41.0
330	6.8	39.0	4.7	41.0	5.8	40.0	7.0	38.0	4.4	40.0	4.7	41.0
340	5.9	39.0	4.7	41.0	6.3	40.0	6.0	38.0	5.3	40.0	5.7	41.0
350	4.2	39.0	5.7	41.0	6.7	40.0	4.3	38.0	5.8	40.0	6.1	40.0
360	4.3	39.0	6.3	41.0	6.2	40.0	4.6	38.0	6.5	40.0	6.4	40.0
370	5.6	38.0	6.7	41.0	4.7	40.0	5.4	38.0	6.3	40.0	6.3	40.0
380	5.8	38.0	6.1	40.0	5.7	40.0	5.8	38.0	4.1	40.0	4.5	40.0
390	6.3	38.0	4.2	40.0	5.7	40.0	6.0	38.0	4.4	40.0	5.6	40.0
400	6.6	38.0	5.4	40.0	6.3	40.0	6.0	38.0	5.5	39.0	5.8	40.0

5
(Event)

RACE DATA

M4-

Men's Four

FB

07 MAY 2017

Race 58

Dist. [m]	BLR		SRB		CZE1		RUS3		CZE2		SUI	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
410	5.8	38.0	5.5	39.0	6.7	40.0	6.3	38.0	5.8	39.0	6.8	40.0
420	4.1	38.0	5.9	39.0	4.3	40.0	6.7	38.0	6.6	39.0	5.3	40.0
430	4.2	38.0	6.4	39.0	5.2	40.0	6.1	38.0	6.2	39.0	4.4	40.0
440	5.4	37.0	6.4	39.0	5.7	40.0	4.6	38.0	4.1	39.0	5.1	40.0
450	5.7	37.0	4.0	38.0	6.2	39.0	4.3	38.0	5.2	39.0	5.6	40.0
460	6.2	37.0	4.5	38.0	6.4	39.0	4.6	38.0	5.7	39.0	6.1	40.0
470	6.6	37.0	5.3	38.0	6.5	39.0	5.5	38.0	6.1	39.0	6.6	39.0
480	6.0	37.0	5.6	38.0	4.4	39.0	5.7	37.0	6.7	39.0	4.0	39.0
490	4.2	37.0	6.1	38.0	5.0	39.0	5.8	37.0	5.5	39.0	4.7	39.0
500	4.7	37.0	6.6	38.0	5.6	39.0	6.1	37.0	4.0	39.0	5.5	39.0
510	5.4	37.0	4.8	38.0	6.0	39.0	6.5	37.0	5.3	39.0	5.9	39.0
520	5.7	37.0	4.1	38.0	6.7	39.0	6.6	36.0	5.6	39.0	6.7	39.0
530	6.1	37.0	4.4	38.0	5.6	39.0	6.1	36.0	6.0	39.0	4.0	39.0
540	6.6	37.0	5.5	38.0	4.5	39.0	5.3	36.0	6.7	39.0	4.4	39.0
550	6.0	37.0	5.8	38.0	5.3	39.0	4.1	36.0	5.6	39.0	5.4	39.0
560	4.2	37.0	6.2	37.0	5.6	38.0	4.7	36.0	4.0	39.0	6.1	39.0
570	4.6	37.0	6.4	37.0	6.1	38.0	5.3	36.0	5.4	39.0	6.7	39.0
580	5.6	37.0	6.0	37.0	6.6	38.0	5.6	36.0	5.7	39.0	5.6	38.0
590	5.9	37.0	3.9	37.0	5.7	38.0	5.7	36.0	6.1	39.0	4.0	38.0
600	6.4	37.0	5.1	37.0	4.4	38.0	5.9	36.0	6.7	39.0	4.3	38.0
610	6.2	37.0	5.4	37.0	5.2	38.0	6.1	36.0	5.5	39.0	5.5	38.0
620	4.0	37.0	5.6	37.0	5.6	38.0	6.5	36.0	4.0	39.0	5.8	38.0
630	4.2	37.0	5.9	37.0	5.8	38.0	6.5	36.0	5.4	39.0	6.5	38.0
640	5.4	37.0	6.4	37.0	6.5	38.0	5.9	36.0	5.7	39.0	6.0	38.0
650	5.7	37.0	5.0	37.0	6.3	38.0	4.9	36.0	6.1	39.0	4.3	38.0
660	6.1	37.0	4.4	37.0	4.1	38.0	4.0	36.0	6.7	39.0	4.8	38.0
670	5.8	37.0	5.1	37.0	4.5	38.0	5.0	36.0	5.5	39.0	5.6	38.0
680	4.5	37.0	5.4	37.0	5.5	38.0	5.4	36.0	4.3	39.0	6.1	38.0
690	4.2	37.0	6.2	37.0	5.9	38.0	5.5	36.0	5.2	39.0	6.5	38.0
700	5.3	37.0	6.3	37.0	6.5	38.0	5.6	36.0	5.5	39.0	5.7	38.0
710	5.4	37.0	5.6	37.0	4.1	38.0	5.8	36.0	5.9	39.0	4.2	38.0
720	6.3	37.0	4.0	37.0	4.2	38.0	6.0	36.0	5.9	39.0	5.4	38.0
730	6.0	37.0	5.2	37.0	5.3	38.0	6.3	36.0	4.1	39.0	5.5	38.0
740	3.9	37.0	5.4	37.0	5.5	38.0	5.8	36.0	4.8	38.0	5.9	38.0
750	4.9	37.0	5.7	37.0	6.4	38.0	5.0	36.0	5.4	38.0	6.5	38.0
760	5.3	37.0	6.3	37.0	5.9	38.0	4.2	36.0	6.2	38.0	4.3	38.0
770	5.9	37.0	5.7	37.0	4.1	38.0	4.5	36.0	6.4	38.0	4.5	38.0
780	6.3	37.0	3.8	37.0	5.3	38.0	5.5	36.0	5.0	38.0	5.3	38.0
790	6.2	37.0	4.9	37.0	5.6	38.0	5.6	36.0	4.3	38.0	5.7	38.0
800	3.9	37.0	5.2	37.0	6.4	38.0	5.8	36.0	5.2	38.0	6.3	38.0

5
(Event)

RACE DATA
Men's Four
07 MAY 2017

M4-
FB
Race 58

Dist. [m]	BLR		SRB		CZE1		RUS3		CZE2		SUI	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
810	4.5	37.0	5.8	36.0	6.1	39.0	6.0	36.0	5.8	38.0	6.1	38.0
820	5.2	37.0	6.3	36.0	4.3	39.0	6.1	36.0	6.4	38.0	3.9	38.0
830	5.7	37.0	6.1	36.0	5.1	39.0	5.7	36.0	6.1	38.0	5.0	38.0
840	6.0	37.0	3.9	36.0	5.5	39.0	4.9	36.0	4.0	38.0	5.4	38.0
850	6.3	37.0	4.7	36.0	6.6	39.0	4.2	36.0	5.3	38.0	6.0	38.0
860	5.1	37.0	5.2	36.0	5.3	39.0	4.6	36.0	5.5	38.0	6.4	38.0
870	4.1	37.0	5.8	36.0	4.4	39.0	5.5	36.0	5.9	38.0	4.0	37.0
880	5.2	37.0	6.3	36.0	5.3	39.0	5.7	36.0	6.5	38.0	4.1	37.0
890	5.3	37.0	6.2	36.0	5.5	39.0	5.9	36.0	4.1	38.0	5.2	37.0
900	6.0	37.0	4.1	36.0	6.1	39.0	6.3	36.0	4.7	38.0	5.4	37.0
910	6.3	37.0	4.5	36.0	4.9	39.0	5.6	36.0	5.3	38.0	6.1	37.0
920	4.7	37.0	5.2	36.0	4.3	39.0	4.4	36.0	6.0	38.0	6.3	37.0
930	4.1	37.0	5.7	36.0	5.2	39.0	4.2	36.0	6.5	38.0	3.9	37.0
940	4.6	37.0	6.2	36.0	5.9	39.0	4.9	36.0	5.3	38.0	4.6	37.0
950	5.3	37.0	5.3	36.0	6.5	39.0	5.5	36.0	4.2	38.0	5.3	37.0
960	5.7	37.0	4.0	37.0	5.4	39.0	5.8	36.0	5.4	38.0	5.8	37.0
970	6.2	37.0	4.8	37.0	4.2	39.0	6.1	36.0	5.7	38.0	6.5	37.0
980	4.7	37.0	5.6	37.0	5.4	38.0	6.4	36.0	6.3	38.0	6.2	37.0
990	4.5	37.0	6.1	37.0	5.6	38.0	6.3	36.0	6.3	38.0	4.1	37.0
1000	5.4	38.0	6.3	37.0	6.2	38.0	4.0	36.0	3.9	38.0	4.4	37.0
1010	6.3	38.0	3.9	37.0	4.5	38.0	4.5	36.0	5.2	38.0	5.4	37.0
1020	6.2	38.0	4.4	38.0	4.4	38.0	5.2	36.0	5.4	38.0	5.8	37.0
1030	4.4	39.0	5.2	38.0	5.3	39.0	5.5	36.0	5.8	38.0	6.3	37.0
1040	4.7	39.0	6.0	38.0	5.6	39.0	5.6	36.0	6.2	38.0	6.3	37.0
1050	5.3	39.0	6.6	38.0	6.1	39.0	6.3	36.0	4.4	38.0	4.0	37.0
1060	6.2	39.0	6.0	38.0	5.4	39.0	6.4	36.0	4.7	38.0	5.2	37.0
1070	6.1	39.0	4.5	38.0	4.0	39.0	5.9	36.0	5.4	38.0	5.5	37.0
1080	4.0	39.0	4.2	38.0	5.2	39.0	4.9	36.0	5.7	38.0	5.8	37.0
1090	5.1	38.0	5.5	38.0	5.5	39.0	4.3	36.0	6.3	38.0	6.4	37.0
1100	5.4	38.0	6.0	38.0	5.8	39.0	4.9	36.0	4.8	38.0	4.6	38.0
1110	5.8	38.0	6.6	38.0	5.8	39.0	5.4	36.0	4.0	38.0	4.1	38.0
1120	5.9	38.0	5.8	38.0	3.9	39.0	5.8	36.0	5.3	38.0	5.3	38.0
1130	4.1	38.0	4.2	38.0	4.9	39.0	6.3	36.0	5.5	38.0	5.5	38.0
1140	4.9	38.0	5.1	38.0	5.4	39.0	6.4	36.0	6.0	38.0	5.9	38.0
1150	5.4	38.0	5.4	38.0	6.1	39.0	5.7	37.0	5.3	38.0	5.9	38.0
1160	6.4	38.0	6.4	38.0	6.3	38.0	4.2	37.0	3.9	38.0	4.0	38.0
1170	6.0	38.0	5.7	38.0	3.9	38.0	4.4	37.0	5.3	38.0	4.6	38.0
1180	4.0	38.0	4.1	38.0	5.1	38.0	5.5	37.0	5.5	38.0	5.3	38.0
1190	5.1	38.0	4.9	38.0	5.3	38.0	5.5	37.0	6.0	38.0	5.8	38.0
1200	5.3	38.0	5.8	38.0	6.4	38.0	5.9	37.0	5.4	38.0	6.4	38.0

5
(Event)

RACE DATA

M4-

Men's Four

FB

07 MAY 2017

Race 58

Dist. [m]	BLR		SRB		CZE1		RUS3		CZE2		SUI	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
1210	6.3	38.0	6.4	38.0	5.9	38.0	6.4	37.0	4.2	38.0	4.2	38.0
1220	5.6	38.0	5.8	38.0	4.3	38.0	4.7	37.0	5.1	38.0	4.5	38.0
1230	4.4	38.0	4.0	38.0	5.4	38.0	4.3	37.0	5.7	38.0	5.2	38.0
1240	5.2	38.0	5.3	38.0	5.7	38.0	5.2	37.0	6.4	38.0	5.7	38.0
1250	5.9	38.0	5.6	38.0	6.6	38.0	5.5	37.0	6.0	38.0	6.3	38.0
1260	6.3	38.0	6.2	38.0	5.5	39.0	5.9	37.0	4.1	38.0	6.2	38.0
1270	4.4	37.0	5.3	38.0	4.4	39.0	6.4	37.0	5.3	38.0	4.0	38.0
1280	4.3	37.0	4.2	38.0	5.4	39.0	6.0	37.0	5.7	38.0	5.2	38.0
1290	5.1	37.0	5.4	38.0	6.0	39.0	4.1	37.0	6.3	38.0	5.4	38.0
1300	5.7	37.0	5.8	38.0	6.4	39.0	4.3	37.0	4.4	38.0	5.7	38.0
1310	6.1	37.0	6.4	38.0	3.9	39.0	5.5	37.0	4.1	38.0	6.2	38.0
1320	4.9	37.0	3.9	38.0	5.1	39.0	5.7	37.0	5.3	38.0	5.0	38.0
1330	4.1	37.0	5.1	38.0	5.4	39.0	6.1	37.0	5.6	38.0	4.2	38.0
1340	5.3	37.0	5.5	38.0	6.4	39.0	6.4	37.0	6.4	38.0	5.3	38.0
1350	5.6	37.0	6.2	39.0	5.4	39.0	4.3	37.0	5.0	38.0	5.5	38.0
1360	6.2	37.0	4.8	39.0	4.2	39.0	4.1	37.0	4.3	38.0	6.3	38.0
1370	5.2	37.0	4.2	39.0	5.3	39.0	5.3	37.0	5.5	38.0	5.6	38.0
1380	4.1	37.0	5.6	39.0	5.7	39.0	5.5	37.0	6.0	38.0	4.2	38.0
1390	5.3	37.0	6.6	40.0	6.4	39.0	5.8	37.0	6.4	38.0	5.3	38.0
1400	5.7	37.0	5.5	40.0	3.8	39.0	6.4	37.0	3.9	39.0	5.4	38.0
1410	6.2	37.0	4.2	40.0	4.9	39.0	5.8	37.0	5.2	39.0	6.3	38.0
1420	5.0	37.0	5.4	40.0	5.3	39.0	4.5	37.0	5.5	39.0	6.1	37.0
1430	4.1	37.0	6.1	41.0	6.4	39.0	4.4	37.0	6.1	39.0	3.9	37.0
1440	5.3	37.0	6.3	41.0	5.5	39.0	5.2	37.0	5.0	39.0	5.0	37.0
1450	5.7	37.0	4.3	41.0	4.3	39.0	5.7	37.0	4.3	39.0	5.4	37.0
1460	6.0	37.0	5.4	41.0	5.5	39.0	6.3	37.0	5.2	39.0	6.0	37.0
1470	4.0	37.0	6.0	41.0	6.4	39.0	6.4	37.0	5.9	39.0	6.3	37.0
1480	5.2	37.0	6.4	41.0	6.0	39.0	5.7	37.0	6.4	39.0	5.9	37.0
1490	5.6	37.0	4.3	41.0	4.0	40.0	4.2	37.0	4.0	39.0	4.1	37.0
1500	6.5	38.0	5.4	41.0	5.4	40.0	4.4	37.0	4.7	39.0	5.2	37.0
1510	3.9	39.0	6.0	41.0	5.7	40.0	5.5	37.0	5.7	39.0	5.4	37.0
1520	4.5	39.0	6.6	41.0	6.5	40.0	5.6	37.0	6.4	39.0	6.2	37.0
1530	5.5	39.0	4.6	41.0	3.9	40.0	6.1	37.0	5.8	39.0	6.3	37.0
1540	6.0	39.0	5.2	41.0	5.3	40.0	6.5	37.0	4.1	39.0	4.0	37.0
1550	5.2	39.0	5.9	41.0	5.7	40.0	5.9	37.0	5.4	39.0	4.3	37.0
1560	4.2	39.0	6.5	41.0	6.6	40.0	4.3	37.0	5.9	39.0	5.4	37.0
1570	5.5	39.0	4.2	41.0	4.2	40.0	4.7	37.0	5.1	39.0	5.8	38.0
1580	6.2	40.0	5.4	41.0	5.2	40.0	5.6	38.0	4.4	39.0	6.4	38.0
1590	5.9	40.0	6.1	41.0	5.6	40.0	6.0	38.0	5.3	39.0	4.1	38.0
1600	4.4	40.0	6.2	41.0	6.5	40.0	6.4	38.0	5.7	39.0	4.8	38.0

Dist. [m]	BLR		SRB		CZE1		RUS3		CZE2		SUI	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
1610	5.4	40.0	3.9	41.0	4.0	40.0	5.4	38.0	5.9	39.0	5.4	38.0
1620	6.0	40.0	5.5	41.0	4.8	40.0	4.4	38.0	4.2	39.0	5.6	38.0
1630	5.1	40.0	6.5	41.0	5.9	40.0	5.4	38.0	5.2	39.0	6.3	38.0
1640	4.1	40.0	5.4	41.0	6.4	40.0	5.6	38.0	5.6	39.0	4.8	38.0
1650	5.3	40.0	4.3	41.0	4.3	40.0	6.5	38.0	6.1	39.0	4.3	38.0
1660	6.0	40.0	5.8	41.0	5.3	40.0	6.0	38.0	4.2	39.0	5.3	38.0
1670	4.7	40.0	6.6	41.0	5.8	40.0	4.2	38.0	5.1	39.0	5.9	38.0
1680	4.3	40.0	4.5	41.0	5.1	40.0	4.8	38.0	5.9	39.0	6.4	38.0
1690	5.6	40.0	4.6	41.0	4.3	40.0	5.5	38.0	6.3	39.0	3.8	38.0
1700	6.4	40.0	5.6	41.0	5.4	40.0	5.7	38.0	4.2	39.0	4.3	38.0
1710	5.5	40.0	6.7	41.0	6.4	40.0	6.1	38.0	5.2	39.0	5.5	38.0
1720	4.5	40.0	4.1	41.0	5.5	40.0	6.5	38.0	6.2	40.0	6.1	38.0
1730	5.4	40.0	5.4	41.0	4.6	40.0	4.2	38.0	6.0	40.0	6.4	38.0
1740	6.4	40.0	6.3	41.0	5.4	40.0	5.0	38.0	3.8	40.0	4.0	38.0
1750	4.2	40.0	6.7	41.0	6.4	40.0	5.7	39.0	5.4	40.0	4.7	38.0
1760	5.2	40.0	4.4	41.0	3.9	40.0	6.2	39.0	5.9	40.0	5.5	39.0
1770	5.8	41.0	5.6	42.0	5.4	40.0	6.5	39.0	6.5	40.0	6.1	39.0
1780	6.4	41.0	6.8	42.0	6.1	40.0	4.2	39.0	4.5	40.0	5.0	39.0
1790	4.5	41.0	4.5	43.0	5.9	41.0	4.6	39.0	5.7	41.0	4.4	40.0
1800	5.7	42.0	5.1	43.0	4.5	42.0	5.7	40.0	6.7	41.0	5.4	40.0
1810	6.7	42.0	6.3	43.0	5.5	42.0	6.3	40.0	6.6	42.0	5.8	40.0
1820	4.1	42.0	6.8	43.0	6.4	42.0	6.2	40.0	4.6	42.0	6.6	40.0
1830	5.5	42.0	4.6	43.0	5.0	42.0	4.3	40.0	5.7	42.0	4.0	40.0
1840	6.4	42.0	5.7	43.0	5.4	42.0	5.3	41.0	6.9	42.0	4.9	40.0
1850	4.9	42.0	6.6	43.0	6.0	42.0	5.8	41.0	4.0	42.0	5.6	40.0
1860	5.6	43.0	4.1	43.0	6.0	42.0	6.7	41.0	5.3	42.0	6.6	40.0
1870	6.7	43.0	5.5	43.0	4.9	42.0	4.9	41.0	6.1	42.0	4.0	40.0
1880	6.0	43.0	6.6	43.0	5.7	42.0	5.1	41.0	6.3	42.0	5.0	40.0
1890	5.5	44.0	4.6	43.0	6.7	42.0	5.6	41.0	4.2	42.0	5.6	40.0
1900	6.6	44.0	4.8	43.0	3.9	42.0	6.3	40.0	5.5	42.0	6.5	40.0
1910	6.4	44.0	5.9	43.0	5.6	42.0	6.2	40.0	6.4	42.0	5.4	40.0
1920	5.1	44.0	6.0	43.0	6.4	42.0	4.0	40.0	5.2	42.0	5.1	40.0
1930	6.0	44.0	5.1	43.0	5.3	42.0	5.4	40.0	5.4	42.0	5.7	41.0
1940	5.9	44.0	6.2	43.0	4.4	42.0	5.7	39.0	6.1	42.0	6.7	41.0
1950	4.4	44.0	6.0	43.0	5.7	42.0	6.3	39.0	6.2	42.0	4.7	41.0
1960	5.9	43.0	4.4	43.0	6.5	42.0	6.2	39.0	4.1	42.0	4.4	41.0
1970	6.1	43.0	5.5	43.0	3.9	42.0	4.3	39.0	5.4	42.0	5.7	41.0
1980	4.7	43.0	6.7	43.0	5.5	42.0	5.1	39.0	6.2	42.0	6.1	41.0
1990	5.5	42.0	4.1	43.0	6.3	42.0	5.5	39.0	4.0	42.0	4.2	41.0
2000	6.3	42.0	5.5	43.0	5.0	42.0	6.3	39.0	5.3	42.0	4.6	41.0