

Dist. [m]	GBR2		CZE		NED		GBR1		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
10	4.3	44.0	5.3	51.0	4.7	51.0	3.6	43.0	5.0	55.0		
20	6.6	44.0	4.5	51.0	4.4	50.0	6.3	43.0	5.4	53.0		
30	4.7	44.0	6.4	51.0	6.3	50.0	4.7	45.0	6.1	51.0		
40	4.9	44.0	7.4	50.0	6.9	49.0	5.2	45.0	6.9	48.0		
50	6.0	44.0	5.5	48.0	5.0	48.0	6.5	45.0	5.9	44.0		
60	6.6	44.0	5.2	46.0	6.1	46.0	7.2	45.0	4.7	43.0		
70	7.3	44.0	5.4	45.0	6.4	45.0	7.6	45.0	5.5	42.0		
80	7.5	44.0	6.1	44.0	6.9	44.0	7.5	45.0	6.2	42.0		
90	6.3	44.0	6.4	42.0	7.3	44.0	5.4	45.0	6.3	42.0		
100	5.0	43.0	6.6	42.0	6.3	44.0	5.2	44.0	6.4	41.0		
110	5.0	42.0	6.8	41.0	5.1	43.0	5.3	43.0	6.6	40.0		
120	6.0	42.0	7.1	41.0	5.5	42.0	6.4	43.0	6.8	40.0		
130	6.4	42.0	6.6	41.0	6.2	42.0	6.5	43.0	6.9	40.0		
140	6.6	42.0	5.5	40.0	6.3	42.0	6.9	43.0	7.1	40.0		
150	6.9	41.0	4.7	40.0	6.5	42.0	7.2	42.0	6.7	40.0		
160	7.2	41.0	4.9	40.0	6.8	42.0	7.5	42.0	6.3	40.0		
170	7.2	41.0	5.2	40.0	6.7	41.0	7.0	41.0	5.9	40.0		
180	5.4	41.0	6.2	40.0	5.5	41.0	5.8	41.0	4.6	39.0		
190	4.8	41.0	6.6	40.0	4.6	41.0	4.8	41.0	4.7	39.0		
200	4.7	40.0	7.0	40.0	5.2	41.0	5.0	41.0	5.3	39.0		
210	4.9	40.0	7.2	41.0	5.8	41.0	5.5	41.0	5.5	39.0		
220	6.0	40.0	6.8	41.0	6.1	40.0	5.9	40.0	6.1	39.0		
230	6.1	39.0	5.8	41.0	6.4	40.0	6.2	40.0	6.1	38.0		
240	6.1	39.0	4.8	41.0	6.6	40.0	6.3	40.0	6.1	38.0		
250	6.6	39.0	5.3	40.0	6.8	40.0	6.3	40.0	6.4	38.0		
260	6.6	39.0	5.5	40.0	6.5	40.0	6.8	40.0	6.4	38.0		
270	7.0	39.0	6.0	39.0	5.8	40.0	6.8	39.0	7.0	38.0		
280	7.0	39.0	6.0	39.0	4.8	40.0	6.8	39.0	7.0	38.0		
290	6.1	38.0	6.4	39.0	4.8	40.0	6.9	39.0	6.7	38.0		
300	6.1	38.0	6.5	39.0	5.6	39.0	6.9	38.0	6.7	38.0		
310	4.5	38.0	6.8	39.0	5.7	39.0	7.1	38.0	5.6	38.0		
320	4.6	38.0	6.1	38.0	6.1	39.0	7.0	38.0	5.7	38.0		
330	5.1	38.0	4.3	38.0	6.1	39.0	7.1	38.0	4.4	38.0		
340	5.1	38.0	4.6	38.0	6.4	39.0	7.0	38.0	4.7	37.0		
350	6.0	38.0	5.3	38.0	6.5	39.0	6.5	38.0	5.1	37.0		
360	6.2	38.0	5.2	38.0	6.9	39.0	6.8	37.0	5.0	37.0		
370	6.1	38.0	5.8	38.0	6.9	39.0	5.8	37.0	5.7	37.0		
380	6.5	37.0	6.0	38.0	5.9	39.0	6.2	36.0	5.9	37.0		
390	6.5	37.0	6.3	37.0	4.4	38.0	6.6	36.0	5.9	37.0		
400	6.8	37.0	6.7	37.0	4.5	38.0	5.6	36.0	6.0	37.0		

Dist. [m]	GBR2		CZE		NED		GBR1		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
410	6.8	37.0	6.7	37.0	4.7	38.0	6.2	36.0	6.2	37.0		
420	6.9	37.0	6.3	37.0	5.6	38.0	5.1	36.0	6.2	37.0		
430	6.4	37.0	5.0	37.0	5.6	38.0	6.0	36.0	6.4	37.0		
440	5.4	37.0	4.3	37.0	6.0	38.0	4.9	36.0	6.7	37.0		
450	4.5	37.0	4.4	37.0	5.9	38.0	5.8	36.0	6.6	37.0		
460	4.8	36.0	5.0	37.0	6.2	38.0	4.8	36.0	6.7	37.0		
470	4.4	36.0	5.8	37.0	6.6	38.0	5.5	36.0	6.4	37.0		
480	4.5	36.0	6.1	37.0	6.7	38.0	4.7	36.0	5.9	37.0		
490	4.5	36.0	6.5	37.0	6.7	38.0	5.7	36.0	4.8	37.0		
500	5.0	36.0	6.5	37.0	6.7	38.0	4.8	36.0	4.3	37.0		
510	5.5	36.0	6.7	37.0	5.2	38.0	5.8	35.0	4.5	37.0		
520	5.9	36.0	6.1	37.0	4.6	38.0	4.9	35.0	4.7	37.0		
530	5.7	36.0	4.4	37.0	4.5	38.0	5.9	35.0	5.3	37.0		
540	5.9	36.0	4.5	37.0	4.7	38.0	5.0	35.0	5.7	36.0		
550	5.9	36.0	4.6	37.0	5.5	38.0	4.5	35.0	5.8	36.0		
560	6.2	36.0	5.4	37.0	5.9	37.0	5.2	35.0	5.7	36.0		
570	6.4	36.0	5.8	37.0	5.9	37.0	4.5	35.0	5.9	36.0		
580	6.7	36.0	6.0	37.0	6.1	37.0	4.5	35.0	6.1	36.0		
590	6.6	36.0	5.9	37.0	6.5	37.0	4.8	35.0	6.3	36.0		
600	6.7	36.0	6.1	37.0	6.4	37.0	4.4	35.0	6.6	36.0		
610	6.4	36.0	6.5	37.0	6.8	37.0	4.5	35.0	6.5	36.0		
620	5.6	36.0	6.4	37.0	6.4	37.0	4.6	35.0	6.2	36.0		
630	4.6	36.0	5.9	37.0	6.4	37.0	4.4	35.0	6.4	36.0		
640	4.4	36.0	4.4	37.0	5.1	37.0	4.6	35.0	5.9	36.0		
650	4.4	36.0	4.3	37.0	4.4	37.0	4.5	35.0	5.1	36.0		
660	4.5	36.0	4.7	36.0	4.6	37.0	4.5	35.0	4.4	36.0		
670	5.0	36.0	5.6	36.0	4.9	37.0	4.6	35.0	4.5	36.0		
680	5.6	36.0	5.8	36.0	5.6	37.0	4.6	35.0	5.0	36.0		
690	5.8	36.0	6.0	36.0	5.8	37.0	4.4	35.0	5.5	36.0		
700	6.0	36.0	6.4	36.0	6.0	37.0	4.6	35.0	5.6	36.0		
710	6.2	36.0	6.5	36.0	6.0	37.0	4.6	35.0	5.8	36.0		
720	6.5	36.0	6.1	36.0	6.2	37.0	4.6	35.0	6.0	36.0		
730	6.3	36.0	5.2	36.0	6.6	37.0	4.6	35.0	6.1	36.0		
740	6.7	36.0	4.3	36.0	6.6	37.0	4.6	35.0	6.4	36.0		
750	6.6	36.0	4.5	36.0	6.6	37.0	4.6	35.0	6.5	36.0		
760	6.2	36.0	5.0	36.0	6.4	37.0	4.6	35.0	6.4	36.0		
770	5.3	36.0	5.6	36.0	5.1	37.0	4.6	35.0	6.1	36.0		
780	4.4	36.0	5.8	36.0	4.4	37.0	4.8	35.0	5.6	36.0		
790	4.4	36.0	6.1	37.0	4.6	37.0	4.6	35.0	4.8	36.0		
800	4.8	36.0	6.5	37.0	5.0	37.0	4.5	35.0	4.3	35.0		



Belgrade, Serbia
5-7 May, 2017

WRC I Belgrade, Serbia

5 - 7 May

12
(Event)

RACE DATA
Men's Quadruple Sculls
06 MAY 2017

M4x
R
Race 54

Dist. [m]	GBR2		CZE		NED		GBR1		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
810	5.3	36.0	6.4	37.0	5.7	37.0	4.6	35.0	4.4	35.0		
820	5.7	36.0	5.9	37.0	5.8	37.0	4.7	35.0	4.8	35.0		
830	5.8	36.0	4.4	37.0	5.8	37.0	4.9	35.0	5.2	35.0		
840	6.0	36.0	4.4	37.0	5.9	37.0	4.6	35.0	5.7	35.0		
850	5.9	36.0	4.9	36.0	6.1	37.0	4.6	34.0	5.9	35.0		
860	6.1	36.0	5.4	36.0	6.4	37.0	4.7	34.0	6.0	35.0		
870	6.3	36.0	5.6	36.0	6.6	37.0	4.7	34.0	6.2	35.0		
880	6.7	36.0	5.8	36.0	6.6	37.0	4.8	34.0	6.4	35.0		
890	6.7	36.0	6.0	36.0	6.6	37.0	4.6	34.0	6.3	35.0		
900	6.1	36.0	6.4	36.0	6.0	37.0	4.6	34.0	5.3	35.0		
910	5.1	36.0	5.9	36.0	4.5	37.0	4.6	34.0	4.6	35.0		
920	4.4	36.0	4.7	36.0	4.5	37.0	4.6	34.0	4.1	35.0		
930	4.4	36.0	4.1	36.0	4.5	37.0	4.8	34.0	4.4	35.0		
940	4.4	36.0	4.4	36.0	5.0	37.0	5.0	34.0	4.8	35.0		
950	4.8	36.0	5.2	36.0	5.5	37.0	4.5	34.0	5.2	35.0		
960	5.4	36.0	5.6	36.0	5.7	37.0	4.6	34.0	5.7	35.0		
970	5.8	36.0	5.8	36.0	5.9	37.0	4.6	34.0	5.9	35.0		
980	5.9	36.0	6.1	36.0	6.2	37.0	4.7	34.0	6.2	35.0		
990	6.3	36.0	6.4	36.0	6.0	37.0	4.9	34.0	6.5	35.0		
1000	6.6	36.0	6.5	36.0	6.2	37.0	5.0	34.0	6.5	35.0		
1010	6.5	36.0	6.0	36.0	6.6	37.0	5.3	34.0	6.2	35.0		
1020	6.8	36.0	4.5	36.0	6.4	37.0	5.7	34.0	5.8	35.0		
1030	6.4	36.0	4.4	36.0	5.6	37.0	4.9	34.0	5.0	35.0		
1040	5.2	36.0	4.5	37.0	4.3	37.0	5.2	34.0	4.3	35.0		
1050	4.4	36.0	5.1	37.0	4.6	37.0	5.4	34.0	4.5	35.0		
1060	4.5	36.0	5.8	37.0	4.7	37.0	5.7	34.0	5.0	35.0		
1070	4.8	36.0	6.0	37.0	5.4	37.0	5.9	34.0	5.4	35.0		
1080	5.4	36.0	6.4	37.0	5.7	37.0	5.8	34.0	5.5	35.0		
1090	5.9	36.0	6.3	37.0	5.9	37.0	5.8	34.0	5.6	35.0		
1100	5.9	36.0	5.0	37.0	6.1	37.0	5.7	34.0	5.8	35.0		
1110	6.0	36.0	4.3	37.0	6.1	37.0	5.8	34.0	5.8	35.0		
1120	6.4	36.0	5.2	37.0	6.5	37.0	5.8	34.0	6.4	35.0		
1130	6.8	36.0	5.6	37.0	6.6	37.0	5.8	34.0	6.3	35.0		
1140	6.7	37.0	5.8	37.0	6.3	37.0	6.0	35.0	6.1	35.0		
1150	6.7	37.0	6.0	37.0	5.0	37.0	6.1	35.0	5.6	35.0		
1160	5.8	37.0	6.4	37.0	4.3	37.0	6.1	35.0	4.1	35.0		
1170	4.5	37.0	6.3	37.0	4.5	37.0	6.3	35.0	4.2	35.0		
1180	4.4	37.0	4.1	37.0	4.7	37.0	6.5	35.0	5.2	35.0		
1190	4.4	37.0	4.3	37.0	5.3	37.0	6.2	35.0	5.5	35.0		
1200	5.0	37.0	5.1	36.0	5.7	37.0	6.4	35.0	5.4	35.0		

INTERNET Service: www.worldrowing.com

Page 3/5

FISA Data Service

data processing by SWISS TIMING

Report Created SAT 06 MAY 2017 / 15:40



12
(Event)

RACE DATA
Men's Quadruple Sculls
06 MAY 2017

M4x
R
Race 54

Dist. [m]	GBR2		CZE		NED		GBR1		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
1210	5.7	37.0	5.4	36.0	5.8	37.0	6.5	35.0	5.8	35.0		
1220	5.8	37.0	5.6	36.0	6.1	37.0	6.6	35.0	6.1	35.0		
1230	6.2	37.0	6.1	36.0	6.2	36.0	6.5	35.0	6.2	35.0		
1240	6.5	37.0	6.6	37.0	6.4	36.0	6.3	35.0	5.6	35.0		
1250	6.7	37.0	6.1	37.0	6.5	36.0	6.0	35.0	4.9	35.0		
1260	6.2	37.0	4.7	37.0	6.2	36.0	5.1	35.0	4.2	35.0		
1270	4.9	37.0	4.5	37.0	4.8	36.0	4.4	35.0	5.1	35.0		
1280	4.3	37.0	5.3	37.0	4.3	36.0	5.2	35.0	5.4	35.0		
1290	4.4	37.0	5.6	37.0	4.5	36.0	4.4	35.0	5.5	35.0		
1300	4.6	37.0	5.9	37.0	4.6	36.0	4.4	35.0	6.1	35.0		
1310	5.3	37.0	6.4	37.0	5.3	36.0	4.6	35.0	6.4	35.0		
1320	5.8	37.0	6.4	37.0	5.7	36.0	4.5	35.0	6.4	35.0		
1330	5.9	37.0	5.3	37.0	5.8	36.0	4.7	35.0	6.0	35.0		
1340	6.3	37.0	4.4	37.0	6.0	36.0	5.0	35.0	5.3	35.0		
1350	6.6	37.0	5.2	37.0	6.3	36.0	5.3	35.0	4.2	35.0		
1360	6.6	37.0	5.7	37.0	6.6	36.0	5.8	35.0	4.3	35.0		
1370	5.6	37.0	6.0	37.0	6.5	36.0	5.8	35.0	4.8	35.0		
1380	4.4	37.0	6.5	37.0	6.5	36.0	5.7	35.0	5.6	35.0		
1390	4.4	37.0	6.2	37.0	5.8	36.0	5.8	35.0	5.8	35.0		
1400	4.5	37.0	4.4	37.0	4.5	36.0	5.8	35.0	5.9	35.0		
1410	5.1	37.0	4.7	37.0	4.6	36.0	6.0	35.0	6.2	35.0		
1420	5.7	37.0	5.4	37.0	5.2	36.0	6.2	35.0	6.5	35.0		
1430	5.9	37.0	5.6	37.0	5.6	36.0	6.2	35.0	6.4	35.0		
1440	6.3	37.0	6.0	37.0	5.8	36.0	6.5	35.0	6.0	35.0		
1450	6.7	37.0	6.5	37.0	6.0	36.0	6.6	35.0	5.3	35.0		
1460	6.4	37.0	6.0	37.0	6.2	36.0	6.4	35.0	4.4	35.0		
1470	5.2	37.0	4.3	37.0	6.5	36.0	6.6	35.0	4.5	35.0		
1480	4.3	37.0	4.6	37.0	6.4	36.0	6.5	35.0	5.0	35.0		
1490	4.3	37.0	5.5	37.0	5.3	36.0	6.3	35.0	5.4	35.0		
1500	4.6	37.0	5.8	37.0	4.2	36.0	5.7	35.0	5.8	35.0		
1510	5.4	37.0	6.3	37.0	4.5	36.0	4.7	35.0	6.1	35.0		
1520	5.7	37.0	6.2	37.0	4.5	36.0	4.3	35.0	6.5	35.0		
1530	6.1	37.0	4.4	37.0	5.1	36.0	4.3	35.0	6.4	35.0		
1540	6.5	37.0	4.7	37.0	5.6	36.0	4.8	35.0	5.6	36.0		
1550	6.6	37.0	5.7	37.0	5.7	36.0	5.2	35.0	4.3	37.0		
1560	5.8	37.0	5.9	37.0	5.9	36.0	5.6	35.0	4.5	37.0		
1570	4.4	37.0	6.3	37.0	6.1	36.0	5.7	35.0	5.4	37.0		
1580	4.5	37.0	6.0	37.0	6.4	36.0	5.7	35.0	5.7	37.0		
1590	5.2	37.0	4.3	37.0	6.5	36.0	6.0	35.0	5.8	37.0		
1600	5.7	37.0	5.2	37.0	5.9	36.0	6.0	35.0	6.3	38.0		

Dist. [m]	GBR2		CZE		NED		GBR1		EST		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
1610	5.9	37.0	5.5	37.0	4.3	36.0	6.3	35.0	6.8	38.0		
1620	6.3	37.0	5.9	37.0	4.5	37.0	6.1	35.0	6.8	38.0		
1630	6.7	37.0	6.4	37.0	4.7	37.0	6.5	35.0	5.9	38.0		
1640	6.1	37.0	6.1	37.0	5.4	37.0	6.4	35.0	4.3	38.0		
1650	4.7	37.0	4.4	37.0	5.7	37.0	6.0	35.0	4.6	38.0		
1660	4.3	37.0	5.0	37.0	6.0	37.0	5.4	35.0	5.5	38.0		
1670	4.8	37.0	5.6	38.0	6.4	37.0	4.5	35.0	5.8	38.0		
1680	5.5	37.0	6.1	38.0	6.6	37.0	4.2	35.0	6.2	38.0		
1690	5.7	37.0	6.6	39.0	6.6	37.0	4.5	35.0	6.2	38.0		
1700	5.9	37.0	4.8	39.0	5.3	37.0	4.9	35.0	6.7	38.0		
1710	6.3	37.0	4.5	39.0	4.4	37.0	5.4	35.0	6.0	38.0		
1720	6.6	37.0	5.3	39.0	4.6	37.0	5.7	35.0	4.4	38.0		
1730	4.8	37.0	5.7	39.0	5.4	37.0	5.6	35.0	4.6	38.0		
1740	4.2	37.0	6.3	39.0	5.7	37.0	5.8	35.0	5.7	38.0		
1750	4.3	37.0	4.2	39.0	6.1	37.0	6.0	35.0	6.0	38.0		
1760	4.8	37.0	4.5	39.0	6.5	37.0	6.0	35.0	6.1	38.0		
1770	5.6	37.0	5.6	39.0	6.4	37.0	6.3	35.0	6.6	38.0		
1780	5.7	37.0	6.1	40.0	6.7	37.0	6.4	35.0	6.3	38.0		
1790	6.2	37.0	6.5	40.0	6.0	37.0	6.5	35.0	6.0	38.0		
1800	6.6	37.0	4.2	40.0	4.3	37.0	6.3	35.0	4.5	38.0		
1810	6.6	37.0	4.6	40.0	4.9	37.0	6.0	35.0	5.5	38.0		
1820	4.3	37.0	5.6	40.0	5.0	37.0	5.3	35.0	5.6	38.0		
1830	4.3	37.0	6.3	40.0	5.6	37.0	4.4	35.0	5.9	38.0		
1840	4.4	37.0	5.9	41.0	5.9	37.0	4.4	35.0	6.4	38.0		
1850	5.0	37.0	5.0	41.0	6.1	37.0	4.4	35.0	6.6	38.0		
1860	5.8	37.0	5.6	41.0	6.7	37.0	4.7	35.0	4.6	38.0		
1870	6.1	37.0	6.4	41.0	6.3	37.0	5.1	35.0	4.5	38.0		
1880	6.4	37.0	5.5	42.0	4.7	37.0	5.6	35.0	5.5	39.0		
1890	6.6	36.0	4.7	42.0	4.4	37.0	5.7	35.0	5.9	39.0		
1900	6.2	36.0	5.7	42.0	4.5	37.0	6.0	35.0	6.3	39.0		
1910	5.1	36.0	6.6	42.0	5.3	37.0	6.1	35.0	6.3	39.0		
1920	4.3	36.0	4.8	42.0	5.5	37.0	6.2	35.0	6.5	38.0		
1930	4.6	36.0	4.6	42.0	5.9	37.0	6.3	35.0	4.2	38.0		
1940	5.4	36.0	5.6	42.0	6.3	37.0	6.3	35.0	4.6	38.0		
1950	5.6	36.0	6.1	42.0	6.5	37.0	6.3	35.0	5.4	38.0		
1960	5.8	36.0	5.8	41.0	4.2	37.0	6.3	35.0	5.7	38.0		
1970	6.6	36.0	4.5	41.0	4.5	37.0	5.9	34.0	6.1	38.0		
1980	6.4	36.0	5.4	41.0	4.7	37.0	5.9	34.0	6.5	38.0		
1990	5.7	36.0	5.9	41.0	5.4	37.0	6.0	33.0	4.1	38.0		
2000	4.8	36.0	5.1	41.0	5.6	37.0	4.7	33.0	4.9	38.0		