

Dist. [m]	USA		GBR		GER2		BLR		POL		NZL2	
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke
50	3.9	40.0	3.8	41.0	3.9	42.0	3.9	41.0	3.8	42.0	3.9	47.0
100	4.6	39.0	4.5	38.0	4.8	40.0	4.8	39.0	4.5	39.0	4.7	43.0
150	4.7	36.0	4.6	36.0	4.8	38.0	4.9	37.0	4.8	38.0	4.9	39.0
200	4.7	35.0	4.6	36.0	4.8	37.0	4.9	37.0	4.8	37.0	4.8	37.0
250	4.7	35.0	4.5	34.0	4.6	35.0	4.7	35.0	4.6	36.0	4.7	35.0
300	4.7	34.0	4.4	33.0	4.6	35.0	4.7	35.0	4.6	35.0	4.6	34.0
350	4.6	34.0	4.4	33.0	4.6	35.0	4.6	33.0	4.6	35.0	4.6	33.0
400	4.6	32.0	4.4	33.0	4.5	34.0	4.6	32.0	4.6	35.0	4.6	34.0
450	4.5	32.0	4.3	32.0	4.4	34.0	4.5	32.0	4.5	34.0	4.5	33.0
500	4.5	32.0	4.3	32.0	4.5	33.0	4.6	32.0	4.5	34.0	4.5	33.0
550	4.7	32.0	4.4	32.0	4.5	34.0	4.5	32.0	4.4	34.0	4.4	33.0
600	4.7	32.0	4.3	32.0	4.3	33.0	4.5	31.0	4.4	33.0	4.4	33.0
650	4.6	32.0	4.3	32.0	4.4	32.0	4.5	31.0	4.4	33.0	4.4	33.0
700	4.6	32.0	4.3	32.0	4.3	32.0	4.4	31.0	4.4	32.0	4.4	32.0
750	4.4	31.0	4.3	31.0	4.2	32.0	4.4	31.0	4.4	32.0	4.4	33.0
800	4.4	31.0	4.1	31.0	4.3	32.0	4.4	31.0	4.4	32.0	4.3	32.0
850	4.5	30.0	4.2	31.0	4.2	33.0	4.4	31.0	4.4	32.0	4.3	32.0
900	4.5	30.0	4.3	31.0	4.3	32.0	4.5	31.0	4.4	32.0	4.4	32.0
950	4.5	30.0	4.2	31.0	4.3	32.0	4.5	31.0	4.4	32.0	4.4	31.0
1000	4.5	30.0	4.2	31.0	4.2	32.0	4.5	31.0	4.4	31.0	4.2	28.0
1050	4.6	31.0	4.3	32.0	4.3	32.0	4.4	30.0	4.4	31.0	4.0	27.0
1100	4.5	31.0	4.3	33.0	4.2	32.0	4.5	30.0	4.4	31.0	4.1	27.0
1150	4.5	31.0	4.3	32.0	4.3	32.0	4.4	30.0	4.4	30.0	4.1	27.0
1200	4.4	31.0	4.4	32.0	4.2	32.0	4.4	30.0	4.4	30.0	4.0	27.0
1250	4.4	31.0	4.3	32.0	4.2	32.0	4.4	30.0	4.3	30.0	4.0	26.0
1300	4.4	31.0	4.3	31.0	4.2	32.0	4.3	30.0	4.3	30.0	4.0	26.0
1350	4.5	31.0	4.3	32.0	4.2	32.0	4.4	30.0	4.3	30.0	4.0	26.0
1400	4.5	31.0	4.2	32.0	4.2	31.0	4.3	29.0	4.2	30.0	4.1	26.0
1450	4.4	30.0	4.2	31.0	4.1	32.0	4.3	29.0	4.2	30.0	3.9	27.0
1500	4.4	30.0	4.2	31.0	4.0	31.0	4.2	29.0	4.2	29.0	3.9	26.0
1550	4.4	30.0	4.1	31.0	4.1	31.0	4.3	28.0	4.2	29.0	4.0	26.0
1600	4.3	30.0	4.2	32.0	4.2	31.0	4.3	28.0	4.2	29.0	3.9	26.0
1650	4.4	31.0	4.3	31.0	4.0	31.0	4.2	28.0	4.1	28.0	3.9	26.0
1700	4.3	30.0	4.3	31.0	4.0	29.0	4.2	28.0	4.1	29.0	3.8	26.0
1750	4.3	30.0	4.2	31.0	4.0	30.0	4.1	27.0	4.1	28.0	3.9	26.0
1800	4.4	29.0	4.2	30.0	3.9	30.0	4.3	27.0	4.2	30.0	3.9	26.0
1850	4.3	29.0	4.1	30.0	4.0	30.0	4.3	30.0	4.2	30.0	3.9	26.0
1900	4.3	29.0	4.1	29.0	4.0	29.0	4.4	30.0	4.2	30.0	3.9	25.0
1950	4.3	28.0	4.1	29.0	3.9	29.0	4.4	30.0	4.2	29.0	3.9	26.0
2000	4.2	28.0	4.1	28.0	3.8	27.0	4.4	31.0	4.4	30.0	3.9	26.0