

Dist. [m]	GER		CAN		CZE		AUT		USA		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
50	4.0	43.0	3.8	46.0	3.9	43.0	3.9	42.0	3.8	42.0		
100	5.1	42.0	4.9	40.0	4.8	41.0	4.8	39.0	4.7	37.0		
150	5.2	39.0	4.9	38.0	5.0	40.0	4.9	38.0	4.8	36.0		
200	5.1	38.0	4.8	36.0	4.9	39.0	4.9	37.0	4.9	36.0		
250	5.1	37.0	4.7	35.0	4.9	38.0	4.9	36.0	4.9	35.0		
300	5.0	36.0	4.7	34.0	4.8	37.0	4.7	35.0	4.8	34.0		
350	4.9	35.0	4.7	34.0	4.8	37.0	4.7	35.0	4.8	34.0		
400	4.9	34.0	4.7	34.0	4.7	35.0	4.7	35.0	4.8	33.0		
450	4.8	34.0	4.7	34.0	4.6	33.0	4.6	34.0	4.7	33.0		
500	4.7	34.0	4.7	34.0	4.5	32.0	4.7	35.0	4.7	33.0		
550	4.6	34.0	4.6	33.0	4.3	31.0	4.7	34.0	4.7	33.0		
600	4.6	33.0	4.6	33.0	4.3	30.0	4.6	34.0	4.7	32.0		
650	4.7	34.0	4.6	33.0	4.3	29.0	4.6	34.0	4.7	33.0		
700	4.7	34.0	4.6	33.0	4.2	28.0	4.7	34.0	4.7	33.0		
750	4.7	34.0	4.7	33.0	4.2	27.0	4.7	34.0	4.8	33.0		
800	4.7	33.0	4.7	33.0	4.1	26.0	4.7	34.0	4.8	33.0		
850	4.8	33.0	4.7	33.0	4.2	26.0	4.7	34.0	4.8	32.0		
900	4.8	35.0	4.7	33.0	4.2	27.0	4.7	34.0	4.7	32.0		
950	4.8	34.0	4.7	33.0	4.1	26.0	4.7	34.0	4.7	32.0		
1000	4.8	34.0	4.6	33.0	4.2	25.0	4.7	34.0	4.7	33.0		
1050	4.8	34.0	4.6	33.0	4.1	25.0	4.7	34.0	4.7	33.0		
1100	4.7	33.0	4.7	33.0	3.9	25.0	4.7	34.0	4.7	32.0		
1150	4.8	34.0	4.7	34.0	4.0	25.0	4.6	33.0	4.7	32.0		
1200	4.8	34.0	4.7	34.0	4.0	25.0	4.6	34.0	4.7	32.0		
1250	4.7	33.0	4.7	34.0	3.9	25.0	4.6	34.0	4.7	33.0		
1300	4.8	34.0	4.7	34.0	4.0	25.0	4.6	34.0	4.7	32.0		
1350	4.7	33.0	4.7	34.0	4.0	25.0	4.7	34.0	4.7	32.0		
1400	4.8	34.0	4.7	34.0	4.0	25.0	4.6	35.0	4.7	32.0		
1450	4.8	34.0	4.7	34.0	4.0	25.0	4.6	34.0	4.6	32.0		
1500	4.7	34.0	4.7	34.0	4.0	25.0	4.6	34.0	4.6	32.0		
1550	4.7	34.0	4.8	34.0	3.9	25.0	4.6	34.0	4.7	32.0		
1600	4.7	34.0	4.7	35.0	3.9	25.0	4.6	34.0	4.7	33.0		
1650	4.7	34.0	4.6	34.0	3.8	25.0	4.7	34.0	4.8	33.0		
1700	4.6	34.0	4.6	34.0	3.8	25.0	4.6	35.0	4.7	33.0		
1750	4.6	33.0	4.7	34.0	4.0	25.0	4.7	35.0	4.7	33.0		
1800	4.6	33.0	4.8	35.0	4.0	25.0	4.7	36.0	4.7	33.0		
1850	4.7	33.0	4.7	35.0	4.0	25.0	4.6	35.0	4.7	33.0		
1900	4.7	33.0	4.7	36.0	3.9	25.0	4.5	35.0	4.8	34.0		
1950	4.7	33.0	4.7	36.0	4.0	25.0	4.3	33.0	4.7	35.0		
2000	4.6	33.0	4.4	32.0	4.0	25.0	4.0	31.0	4.8	36.0		