

Dist. [m]	POL		INA		GBR		JPN2		SUI		Speed [m/s]	Stroke
	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke	Speed [m/s]	Stroke		
50	4.0	47.0	3.9	48.0	4.0	49.0	3.9	42.0	4.0	44.0		
100	5.0	43.0	4.9	45.0	5.0	45.0	4.9	40.0	4.9	41.0		
150	5.3	41.0	5.0	41.0	5.2	43.0	4.9	39.0	5.0	39.0		
200	5.2	39.0	4.9	40.0	5.1	42.0	4.9	38.0	4.9	38.0		
250	5.1	38.0	4.8	39.0	5.1	41.0	4.9	37.0	5.0	37.0		
300	5.0	37.0	4.8	37.0	5.0	40.0	4.8	36.0	4.8	37.0		
350	5.0	36.0	4.6	36.0	5.0	40.0	4.7	36.0	4.8	37.0		
400	4.8	36.0	4.5	35.0	4.9	39.0	4.7	36.0	4.8	36.0		
450	4.8	35.0	4.4	34.0	4.7	38.0	4.6	36.0	4.7	35.0		
500	4.7	34.0	4.2	33.0	4.8	38.0	4.6	35.0	4.7	35.0		
550	4.7	34.0	4.1	31.0	4.7	37.0	4.5	35.0	4.6	35.0		
600	4.7	34.0	4.0	30.0	4.7	36.0	4.6	34.0	4.5	34.0		
650	4.7	33.0	4.0	29.0	4.7	36.0	4.6	35.0	4.6	34.0		
700	4.6	33.0	4.0	28.0	4.8	36.0	4.6	34.0	4.5	33.0		
750	4.6	32.0	4.0	27.0	4.6	36.0	4.4	34.0	4.5	34.0		
800	4.5	32.0	4.0	27.0	4.6	36.0	4.5	34.0	4.5	33.0		
850	4.5	32.0	4.0	27.0	4.6	36.0	4.4	34.0	4.6	33.0		
900	4.6	32.0	4.0	27.0	4.7	36.0	4.5	34.0	4.5	33.0		
950	4.6	32.0	4.0	27.0	4.6	35.0	4.4	33.0	4.5	33.0		
1000	4.6	32.0	4.1	26.0	4.7	35.0	4.4	33.0	4.6	34.0		
1050	4.6	32.0	4.0	27.0	4.7	36.0	4.4	33.0	4.6	34.0		
1100	4.6	31.0	4.0	26.0	4.7	35.0	4.4	33.0	4.6	33.0		
1150	4.6	31.0	4.1	26.0	4.7	36.0	4.5	33.0	4.5	32.0		
1200	4.6	31.0	4.1	26.0	4.8	35.0	4.5	33.0	4.5	31.0		
1250	4.7	31.0	4.1	26.0	4.7	36.0	4.4	33.0	4.5	31.0		
1300	4.6	31.0	4.1	26.0	4.7	36.0	4.5	34.0	4.5	31.0		
1350	4.6	31.0	4.2	26.0	4.8	36.0	4.5	34.0	4.5	31.0		
1400	4.6	31.0	4.1	27.0	4.7	35.0	4.5	34.0	4.5	31.0		
1450	4.6	31.0	4.1	26.0	4.7	35.0	4.5	34.0	4.5	31.0		
1500	4.6	31.0	4.1	27.0	4.8	35.0	4.4	33.0	4.5	31.0		
1550	4.5	31.0	4.1	27.0	4.7	36.0	4.4	33.0	4.5	31.0		
1600	4.6	31.0	4.1	27.0	4.8	36.0	4.5	33.0	4.5	31.0		
1650	4.5	30.0	4.2	26.0	4.7	36.0	4.4	33.0	4.5	30.0		
1700	4.5	31.0	4.1	27.0	4.7	36.0	4.4	33.0	4.5	31.0		
1750	4.5	30.0	4.1	27.0	4.6	36.0	4.5	34.0	4.4	30.0		
1800	4.5	30.0	4.1	26.0	4.6	35.0	4.5	36.0	4.5	30.0		
1850	4.4	30.0	4.1	26.0	4.6	35.0	4.6	36.0	4.5	30.0		
1900	4.4	30.0	4.1	26.0	4.7	35.0	4.7	36.0	4.5	31.0		
1950	4.5	30.0	4.0	26.0	4.5	35.0	4.6	36.0	4.5	31.0		
2000	4.4	30.0	3.9	26.0	4.4	34.0	4.6	37.0	4.5	31.0		